

# SSC JUNIOR ENGINEER (CIVIL & ELECTRICAL) EXAM-2014

# Held On-25.05.2014

JN-1091908

#### TEST - (i)

#### GENERAL INTELLIGENCE AND REASONING

Directions: In question nos. 1 to 8, select the related word/ letters/number from the given alternatives.

- 5:26::8: ?
  - (A) 67
- (B) 64
- (C) 65
- (D) 66
- 2. Pyorrhea: Teeth:: Eczema: \_\_?\_\_.
- (B) Heart
- (C) Lungs
- (D) Eye
- 3. N×O:14×15::G×S:\_\_?\_
  - (A) 5×17
- (B) 15×16
- (C) 6×18
- (D) 7×19
- Writer: Book:: ?\_\_
  - (A) Composer: Song
- (B) Building: Architect
- (C) Poem: Poet
- (D) Chair: Carpenter
- BMCX: CNDY:: \_ ? \_: EXFW 5.
  - (A) DWEV .
- (B) DUGT
- (C) FGUT
- (D) DIGU
- 24:288:22 2
  - (A) 248 (B) 238
- (C) 240 242
- Car : Garage :: Aircraft ; 7.
  - (A) Airdrome
- (B) Shelter
- (C) Hangar
- (D) letty
- $\frac{3}{8}:\frac{12}{32}::\frac{4}{5}:\underline{?}$

- 9. Which one of the following is always associated with JUSTICE?
  - (A) Autocracy
- (B) Hypocracy
- (C) Democracy
- (D) Legitimacy

Directions: In question nos. 10 to 18, find the odd number/ letters/figure/number pair from the given alternatives.

- (A) 21 27
- (B) 9-27
- (C) 9-12
- (D) 15-19
- (A) 38 76
- (B) 28 84
- (C) 34 76
- (D) 23 64
- (A) 5-7 12.
- 3-8
- (C)
- (D) .4 5
- (A) Sphere 13.
- (B) Triangle
- (C) Circle
- (D) Oval
- Rosemary
- (B) Mint
- Peepal
- (D) Coriander
- (A) ZXUR
- (B) ZXWU
- YWV (0)
- (D) WUTR
- (A)
- (B) Iron
- (C) Brass
- (D) Copper

- (A) Thrive
- (B) Excite
- (C) Flourish
- (D) Prosper
- 18. (A) Krishna
- (B) Vaigai
- (C) Kaveri
- (D) Narmada
- Which one of the given response would be a 19. meaningful order of the following?
  - (1) Tissue (2) Cell
- (3) Organ
- (A) (2), (3), (1)
- (B) (1), (2), (3)
- (C) (3), (1), (2)
- (D) (2), (1), (3)
- Which item will appear third in the dictionary?
  - (A) pair
- (B) pain
- (C) page
- (D) pall

**Directions:** In question nos. 21 to 26, a series is given, with one term missing. Choose the correct alternative from the given ones that will complete the series.

- 21, 1, 2, 8, ? , 148, 765
  - (A) 74
- (B) 32
- (C) 40
- (D) 33
- 22. BC, FGH, KLMN, ? "XYZABC
  - (A) QRSTU
- (B) RSTUV
- (C) PQRST
- (D) QRST
- 23. DF, ?\_\_,JL, MO
  - (A) LN
- (B) CE
- (C) CI
- (D) AC
- 24. 7, 12, 19, 28, 39, \_ ?\_
  - (A) 51
- (B) 49
- (C) 57
- (D) 52
- 25. DMP, FLN, HKL, JJJ, \_ ?
  - (A) MIH
- (B) MII
- (C) LIH
- (D) MIF
- 26. Z3A, W9D, ? Q81J, N243M
  - (A) R31E
- (B) V21H
- (C) T27G
- (D) S29F
- 27. If 'EVENT' is coded as 54552 then 'REVENGE is coded as:
  - (A) 9545575
- (B) 8455753
- (C) 9845575
- (D) 8755475

28.

2.04



- (A) 15.300
- (B) 1.5300
- (C) 153.00
- (D) 1530.00
- 29. If BACTERIA can be written as ABIARCET then how PROTOZOA can be written:
  - (A) AROZOTOPO
- (B) ORPTOZOA
- (C) APORZOOT
- (D) TOZOAPRO
- 30. Unscramble these letters to make a \_\_\_\_\_\_\_
  EYDSNY
  - (A) mountain
- (B) city
- (C) animal
- (D) river

31.



If radius b is double that of radius a, the area of the smaller circle to that of the larger circle is in proportion:

- (A) 1:16
- (B) 1:2
- (C) 1:4
- (D) 1:8
- 32. Insert the arithmetic signs in the following numerical figure:
  - 7, 3, 6 = 24
  - $(A) + \times$
- (B) -
- (C) x
- (D) -÷
- 33. Insert the arithmetical signs in the following numerical figure:
  - 9, 3, 4, 6 = 29
  - $(A) \times + -$
- (B) +->
- (C) x-+
- (D) +
- 34. If 7x 5y = 20 and 12x + 5y = 75, what is the value of xy?
  - (A) 30
- (B) 15
- (C) 18
- (D) 20

(D) '42


Directions: In question nos. 35 to 37, select the missing number from the given responses www.previouspapers.in

35.




- (A) 100
- (B) 36
- (C) 121 .

36.



- (A) 82
- (B) 81
- (C) 83
- (D) 84

37.



- (A) 24 (B)
- 3 (B) 45
- (C) 63
- (D) 36



Test yourself-Anytime, Anywhere

# Free Online Test Series

For

IBPS PO (Pre, Mains)
IBPS Clerk (Pre, Mains)
SSC CGL (Pre, Mains)

# Galaxy Online Test Series Features

- Replica of the Actual Exam Platform
  - Detailed and Lucid Explanations
- ⇒ Scientific Post Test Analysis
  - → More than 40 Free Online Tests
- ⇒ State of the Art Lab Facilities


FOR FURTHER DETAILS VISIT US: vww.galaxyclasses.co.in

- 38. Ram started from his house and travelled 3 km towards South. Then turned left and travelled 4 km. Then again he turned right and travelled 3 km. From there, he turned left and travelled 4 km. At what distance is he now from his house?
  - (A) 15 km
- (B) 5 km
- (C) 10 km
- (D) 14 km
- 39. From point A, Ravi walks 5 km North West to point B, from point B he walks 10 km South to point C. From point C he moves 5 km North East to point D. From point D he was back to point A. If Ravi always walked in a straight line what figure has he traced?
  - (A) Trapezium.
- (B) Rhombus
- (C) Kite
- (D) Parallelogram
- 40. Identify the answer figure from which the given pieces in question figure are found.


Question figure;



Answer figures:




41. This Venn diagram shows the no. of people who can speak Telugu, Hindi and English. Find out the total no. of people who can speak all the three languages?



- (A) 19
- (B) 13
- (C) 12
- (D) 9
- 42. How many triangles are there in the figure?



43. Indicate the best relation among blackboard, classroom and school.



Directions: In question nos. 44 and 45, one or two statements is given followed by two Conclusions I, II and III. You have to consider the statement to be true, even if it seems to be at variance from commonly known facts. You are to decide which of the given conclusions can definitely be drawn from the given statement. Indicate your answer.

 Statement: Some fishes are crocodiles. Some Crocodiles are snakes. No snake is snail. All snails are tortoises.

Conclusion: I Some snakes are fish

II Some fishes are tortoise

- (A) None of these Conclusions I and II follow
- (B) Conclusion I follow
- (C) Conclusion II follow
- (D) Both the Conclusions I and II follow

45. Statement: Jessica has 4 children. Two of them have blue eyes and two have brown eyes. Half of the children are girls.

Conclusions: I At least one girl has blue eyes

II Two of the children are boys.

III The boys have brown eyes.


- (A) Conclusion I only
- (B) Conclusion II only
- (C) Conclusion I and III only
- (D) Conclusion II and III only

Directions: In question nos. 46 and 47, which answer figure will complete the pattern in the question figure.

46. Question figure:




#### Answer figures:



47. Question figure:




#### Answer figures:




48. A piece of paper is folded and cut as shown below in the question figures. From the given answer figures, indicate how it will appear when opened.

#### Question figure:



#### Answer figures:




49. If a mirror is placed on the line AB, then which of the answer figures is the right image of the given figure.www.previouspapers.in

Question figure;



A mhanfamm B

# Answer figures :



50. In the following question, a matrix of certain characters is given. These characters follow a certain trend, row - wise or column - wise. Find out this trend and choose the missing character accordingly.

Z	?	S
J	G	?
?	Т	P

- (A) WCV
- (B) RHS
- (C) WCW
- (D) RQM

# TEST - (ii)

# **GENERAL AWARENESS**

51.	During National emergo cannot be suspended:	ency, t	he following article	59.	The is:	chemical substanc	e presen	t in bones and teet	h
	(A) Article 20	<b>(B)</b>	Article 17		(A)	$Ca_3(BO_3)_2$	(B)	$Ca(NO_3)_2$	
	(C) Article 21	(D)	Article 19		(C)	$Ca_3(PO_4)_2$	(D)	CaF <sub>2</sub>	
52.	Which one of the follow Constitution? (A) Sikkim	ving s	tates has a separate	60.		at is the primary eff aquatic environme			n
	(B) Assam				(A)	Radiation	(B)	Fixation	
	(C) Jammu and Kashmi	ir			(C)	Nitrification	(D)	Eutrophication	
	(D) Arunachal Pradesh					80			
53.	"Origin of Species by Nat	ural Se	lection" was written	61.	MS of:	Office, Photoshop	and Ani ers.in	magic are example	25
	by:	ATI)	Y		(A)	Device driver		*	
	(A) William Harvey	(B)	Lamark		(B)	Application softw	are		
	(C) Charles Darwin	(D)	Wallace		(C)	System software		· .	
54.	How many islands are t	here in	Lakshadwigen?		(D)	Operating system	09		
J 1.	(A) 47 (B) 17	(2)	27 (D) 36						
	(-3 /-)	1-7		62.	Ind	ian Income Tax is;			
55.	Cockroach is:				(A)	Indirect and Progr	ressive		
	(A) Sanguivorous	(B)	Carnivorous			Direct and Propor			
	(C) Herbivorous	(D)	Omnivorous		28 310	Indirect and Prop			
	SUCCESSION AND AND TEST STORES ARE SUCCESSION OF THE	200			13 33	Direct and Progre	220 0		
56.	Which of the following reclamation of ravines?	g plar	t is grown for the	×20	1	BARDisa:	55110		
	(A) Eucalyptus globulus (B) Prosopis juliflora			63.			(TP)	n al	
	(C) Dalbergia sissoo			1		Department	(B)	Bank	
	(D) All of the above	/			(C)	Bureau	(D)	Board	
		0				4	v 1800 s	126-141	
57.	The Brahmo Samaj was f	ounde	d by:	64.		onset of reproduct			
	(A) Keshab Chandra Se				(A)	Maturation	(B)		
	(B) Raja Rammohan Ro	y			(C)	Menopause	(D)	Puberty	
	(C) Devendranath Tago								
	(D) Dayananda Sarasw	athi		65.		ich among the duces electricity?	follow	ring instrumen	s
58.	The banks are required				(A)	Transmitter	(B)	Electrografers	
	between their cash in har called:	nd and	total assets. This is		(C)	Dynamo	(D)	Voltametre	
	(A) CLR (Central Liquid	Recor	ve)						
	(B) SBR (Statutory Bank			66.	Un	it of electric current	is:		
	(C) SLR (Statutory Liqu				(A)	Velocity	(B)	Volts	
	(D) CBR (Central Bank I					Ampere	(D)	Calorie	
	22 - 20			I	. /	100 mm			

67.		ervices has be	Castes and Scheduled en provided in the	75.	Which type of energy is converted into electric energy by a battery?  (A) Thermal  (B) Mechanical				
	(A) Article 375		Article 315		(C) Chemical	(B)	Mechanical		
			Article 365		(C) Chemical	(D)	Biological		
	(C) Article 335	(D)	Atticle 303	76.	Birthday of which In on 2nd October along	ndian pers	onality is celebrated		
68.	Nucleolus is pre	esent within th	e:		(A) V.P. Singh	,	c. Guriani :		
	(A) Lysosome	(B)	Cytoplasm	ļ	(B) Rabindranath T	agore			
	(C) Mitochond	ria (D)	Nucleus		(C) Bal Gangadhar	Tilak			
69.	The subject on Governments ca		ne Centre and State	77.	(D) Lal Bahadur Sha The 24 <sup>th</sup> Thirthankan	1			
	(A) Residuary I		contained in.	} //.	(A) Mahaveera	ra or janns (B)	vrushabha		
	=1/1/2 =22				(C) Parshwanatha	(D)	Ashwagosha		
	All file				(c) Turnivariana	(2)	11311444803114		
	(C) The State Li (D) The Concur			78.	Mohamud Ghazni' Hindustan was agai		ous expedition to		
					(A) Somanath	Œ	Kalinjar		
70.	Plants are green!	because of the p	oresence of a pigment		(C) Kannauj	(D)	Mathura		
	(A) Oxygen	(B)	Glucose	79.	Savanna grasslands	in Brazil a	ro called :		
	(C) Nitrogen	(D)	Chlorophyll	10.	(A) Campos	#1 Drazn a	Downs .		
	(=)	(5)	Canoropriyii		(C) Prairies	(D)	Pampas		
71.	One billion byte	e ie annrovima	tely agral to			. ,	1		
, 1,	(A) Gigabyte	(B)	Megabyte	80.	Which of the followi	ng is a trip	oloid plant?		
	And the second second		-	2	(A) Orange	(B)	Wheat		
	(C) Terabyte	(D)	Petabyte		(C) Banana	(D)	Mango		
72.	The term 'NIFE'	refers to:		81.	The fundamental				
	(A) Oceanfloor	(B)	Earthquakes		Article 51A of the cor		of India by the:		
	(C) Core of the	earth (D)	Crust of the earth		(A) 44 <sup>th</sup> Amendmen				
		The second second			(B) 41 <sup>st</sup> Amendmen (C) 42 <sup>nd</sup> Amendmen				
73.	The river cauve following states		from which of the		(C) 42 <sup>nd</sup> Amendmen (D) 43 <sup>rd</sup> Amendmen				
	(A) Madhya Pra	adesh (B)	Andhra Pradesh	82.	A consumer is said to	he in ean	ilibrium if:		
	(C) Tamil Nadu	(D)	Karnataka	V2.	(A) He is able to loca				
					(B) He is able to fulf				
<b>74</b> .	The Jawaharial I	Vehru Port is l	ocated at:		of income.	2000	100		
	(A) Kolkata	(B)	Paradip		(C) His income and	100			
	(C) Cochin	(D)	Mumbai		(D) He can fulfill hi of certain items.	s needs w	tnout consumption		

		f F	acel	ook	pa ht	ge : tps:,	http //ww	s://wi w.gal	vw.fo	icel las	book.c	com/ o.in	/gale	axy.:	ssc		
83.		ich meta dition?							92.	'Sar	nbalpur owing ri	is situ				which	of the
	(A)	Pb	(B)	Cu	(C)	Fe	(D)	Ag		(A)	Mahan	adi		(B)	Yamı	una	
										(C)	Sarasw	ati		(D)	Saryı	,	
84.	The	source o	f Rive	r Vaig	ai is ir	the h	ills of :										
		Cardam		O	(B)		sthiar		93.	The	Per Cap	ita Inc	ome is	obtair	ned by	1	
	2 - 50	Amarka			(D)	Jawa					Dividir profit e	arned.			•		
85,		univers	sal er	ergy	curre	ncy o	f plan	ts and			Summi	.www.	previ	ouspap	oers.in		
	(A)	ATP			(B)	Chlo	prophy	11			Dividin						
		Calorie			(D)	NAI				(D)	Estimat citizens		mini	num i	ncome	of indi	vidual
86.	Air	pollution	is car	ised b	v:				94.	Mis	tral is a c	old wi	nd wh	ich blo	owsdo	on the	vallev
7.7.		Loud sp			(B)	Inse	cticides	e	1	of:							
	1304	Sewage	curica		(D)	Smo				(A)	Volga			(B)	Rhine	9	
	(0)	Jerruge			(5)	CINO	110			(C)	Rhone			(D)	Seine		
87.		o among ce withou				e rem	oved fr	om the	95.		largest				of India	a is the	11
	(A) Chief Election Commissioner							Section 1	Central	-		a)/					
	(B) President of India							A SHOW	StateBa			<i>//</i>					
	(C) Chief Justice of India							(C)	-		of lind	ia					
	(D)	Governo	or of a	State						(D)	Bankot	india					
88.	con	fundan tained in Part VIII	;			India	n citiz	en are	96.	diff	th increase et ence be Decrease Decrease	tween es firs	adjace	ent ene	rgy lev	els in a	nergy toms :
		Part III o		1					VC	(0)	Increase						
		Part IV								, ,	Remain		tant				
		The seve				e cons	titution	a		, ,					9		
								,	97.				a Gre				tby:
89.		100l Capi		India							Seleuko			(B)	Alexa		
		Lucknow			(B)		radun			(C)	Philipp	os		(D)	Justin	į.	
	(C)	Bangalo	re		(D)	Delh	ui		ng.	T., (		( -1			ha said		
									98.		he etchin		ass, w HCl		ne actu HF		T ST
90.		ere in In und abov			find	the hi	ighest (	cricket	1202		HBr	(B)			III	(D)	щ
	(A)	Guwaha	ati	1	(B)	Deh	radun		99.		ppe grass	land is	s foun				e energy in atoms : sent by ; er
	(C)	Chail			(D)	Gwa	dior				Russia South A	merica	ı	(B) (D)	Africa Austr		
91.	The	fertilizer	Nitro	lymis				S.	400	- Tena	0:11				41- 41 •	aa-1 .	
		CaCN <sub>2</sub> -			(B)	CaC	$N_2$		100.			The state of the s	rigina		Ramo		g of:
	No. Your	CaCN+			(D)		$(N)_2 + ($	CO <sub>2</sub>			Rangit S	-		(B)			-l-
	17	5/01/25/50/51 52/55	WINE STREET		1			2		(C)	Guru N	anak .		(D)	GOVI	in sin	gn

# TEST - (iii)

# Part - A: GENERAL ENGINEERING (Civil and Structural)

					SAMEST IN THE PERSON WAS TRAINED.		- 1
101.	The minimum percenusing mild steel reinfor			108.	The concrete habe:	ving a slump	of 6.5 cm, is said to
	(A) 0.35%	(B)	0.12%		(A) plastic	(B)	dry
	(C) 0.15%	(D)	0.30%		(C) earth moist	(D)	semi-plastic
102.	To obtain very high stre to use very fine grained		crete, it is necessary	109.	Capillary rise is the following pr		n that is attributed to l :
	(A) Volcanic scoria	(B)	Granite		(A) vapour pre	ssure	
	(C) Magnetite	(D)	Barite		(B) viscosity		
					(C) density		
103.	Which of the following underwater construction		of lime is used for		(D) surface ten	sion	
	(A) Fat lime	(B)	Quick lime	110	The value of	C for char	p edged orifice is
	(C) Slaked lime	(D)	Hydraulic lime	110.	generally:	Cy 101 silai	pedged office is
					(A) 0.98 (B)	0.95 (C)	0.96 (D) 0.97
104.	Which one of the fo Capacity?	llowing	has least bearing	111.			ineness of cement is
	(A) Loose gravel	<b>(B)</b>	Hard rocks	1	tested by using		meness of ecineme is
	(C) Soft rocks	(D)	-Compact gravel		(A) IS 100 µ sie should be r		east 90% (by weight)
105.	Factor of safety is the r				(B) IS 90 µ sie should pas		east 90% (by weight)
	(A) bearing stress and						east 95% (by weight)
	(B) yield stress and w				should pas	S	
	(C) tensile stress and	- CONTA		X			least 90%(by weight)
	(D) compressive stres			to St	should pas	S	
106.	For lined canals, the	freeboard	is measured from	112.	Strain energy d	ue to sudden a	ixial load is given by :
	the:	- 13 - t	-Cale a limite a		σ: resultant st	ress .	
	(A) full supply level t	- 2	239		P: axial load	* 4	
	(B) full supply level to				$\Delta$ : detornator		
	(C) top of the bank to				$\epsilon$ : strain		
	(D) full supply level t	to the top	or the dower		E: modulous	of elasticity	
107.	The property of a permanent deformation recovered after remove	on under	a load which is not		(A) $\frac{1}{2}$ P $\Delta$	(B) • •	<b>6</b>
	(A) elasticity	(B)	brittleness		(C) P.		<u></u>
					(C) PΔ	(D) 2	E

plasticity


(D)

(C) ductility

- 113. The maximum permissible stress for hand driven rivet in axial tension is:
  - (A) 250 N/mm<sup>2</sup>
- 80 N/mm<sup>2</sup>
- (C) 90 N/mm<sup>2</sup>
- 100 N/mm<sup>2</sup> (D)
- 114. Measurement of pressure difference between two points is, generally done by using :
  - (A) Venturimeter
  - (B) Pitot tube
  - (C) Differential manometer
  - (D) None of the above
- 115. Calcium chloride added in concrete acts as:
  - (A) retarder
  - (B) accelerator
  - (C) air entraining agent
  - (D) plasticizer.
- 116. The following document contains detailed description of all items of work excluding their quantities, along with the current rates:
  - (A) Analysis of rates
  - (B) Tender document
  - (C) Abstract estimate
  - (D) Schedule of rates
- 117. Specific gravity has a unit:
  - (A) g/cc
  - (B) kg/m
  - (C) N/m<sup>3</sup>
  - (D) No unit dimensionless
- 118. To construct a massive dam the type of cement used
  - (A) blast furnace slag cement
  - (B) low heat cement
  - (C) rapid hardening cement
  - (D) ordinary Portland cement

- The size of a fillet weld is indicated by: 119.
  - (A) Size of the plate
  - (B) Side of the triangle of fillet
  - (C) Throat of the fillet
  - (D) Length of fillet weld
- In limit state method of design, for bars in 120. compression the values of bond stress shall be:
  - (A) Decreased by 25%
  - (B) Increased by 20%
  - (C) Decreased by 20%
  - (D) Increased by 25%
- The main gas liberated from an anaerobic sludge digestor is:
  - (A) NH<sub>3</sub>
- (B) 0
- (C) CO2
- (D) CH
- Spacing of stirrups in a rectangular beam is:
  - (A) increased at the ends
  - (B) kept constant throughout the length
  - (C) decreased towards the centre of the beam
  - (D) increased at the centre of the beam
- The minimum percentage of longitudinal reinforcement in RCC column is:
- (B) 0.6
- (C) 0.8
- 1.0

124.



The beam shown in Fig. is:

- (A) Free cantilever beam
- (B) Single overhanging beam
- (C) Double overhanging beam
- (D) Proper cantilever beam
- 125. The slendemess ratio of a column is zero when its length:
  - (A) Effective length is equal to Actual length
  - (B) is very large
  - (C) is equal to its radius of gyration
  - (D) is supported on all sides throughout its length

#### Facebook page: https://www.facebook.com/galaxy.ssc https://www.galaxyclasses.co.in 134. Weight of one bag of cement is: 126. Most important constituents of cement are: (A) C<sub>3</sub>A and C<sub>2</sub>5 C<sub>3</sub>S and C<sub>3</sub>A (A) 70 kg 50 kg C3A and C1AF (C) C<sub>3</sub>S and C<sub>2</sub>S (D) (C) 60 kg 65 kg 127. Which of the following has least carbon content? Cast Iron (A) Wrought Iron The flow constant 'f' in Darcy Weisbach equation for head loss in piped flows has a unit of: Pig Steel (C) Mild Steel (D) (A) No unit - diversion less 128. When R is the radius of the curve (in metres), D is kg-m/sec (C) m/sec (D) the degree of curve (in degrees) and length of the chord is 30 m, then the relation between R and D Steel corrodes in exposure of air and moisture and R = 1520/D(A) R = 5400/Drust has: (D) R = 4500/D(C) R = 1720/D(A) 2.5 times the volume of steel 129. The floor area includes the area of the balcony upto: (B) 0.5 times the volume of steel 75% (D) (A) 25% 85% (C) (C) equal volume compared to amount of steel rusted 130. The increase in the strength of concrete with time (D) twice the volume of steel Non-Linear (A) Linear All of the above (C) Asymptotic (D) 137. In the quadrantal bearing system, a whole circle bearing of 293°30 can be expressed as: 131. Generally concrete cubes are tested measure (A) N 23° 30°W W 23° 30'N concrete's: N 66° 30'W (D) S 113° 30'N (A) Compressive strength (B) Tensile strength (C) Twisting strength Workability of concrete is directly proportional to: 138. (D) None of the above (i) time of transit 132. In a singly reinforced beam, if the stress in concrete (ii) water cement ratio reaches its allowable limit earlier than the steel reaches its permissible limit, the beam section is (iii) grading of aggregate called: (iv) strength of concrete (A) critical section (v) aggregate cement ratio (B) under reinforced section (C) over reinforced section (B) (i), (ii), (iv) (A) (iii), (iv), (v) (D) economic section (ii), (iii) (D) (C) (ii), (iii), (v) 133. Which of the following is a dimensionless quantity? A 40 cm diameter circular timber column is 4 m long. The slenderness ratio of the column is:

(A)  $20\sqrt{2}$ 

(C) 20

(A) Shear force (B) Stress

(D) Modulus of elasticity

(C)- Strain

(B) 10

(D) 40

- The percentage of the fine aggregate of fineness modulus 2.6 to be combined with coarse aggregate of fineness modulus 6.8 for obtaining the aggregates of fineness modulus 5.4, is:
  - (A) 60%
- (B)
- 30% (C)
- 50%
- 141. Administrative head of public works department who is directly responsible to Government is:
  - (A) Assistant Engineer
  - (B) Executive Engineer
  - (C) Superintending Engineer
  - (D) Chief Engineer
- 142. The load factor applied to wind and seismic loads in design of steel structures is:
  - (A) 2.2

- 1.5
- (D)

1.8

- The minimum diameter of longitudinal reinforcement in RCC column should not be less than:
  - (A) 16 mm
- 6 mm
- (C) 8 mm
- (D) 12 mm
- Generally the ratio of different ingredients (Cement Sand and aggregate) in concrete mix of grade M20 is:
  - (A) 1:2:4
- 1:15:3
- (C) 1:3:6
- 1:1:2
- 145. Fineness test of cement gives us an estimate of:
  - (A) workability of concrete
  - (B) heat of hydration
  - (C) rate of hydration
  - (D) durability of concrete
- 146. The type of surveying which requires least office work is (least calculation):
  - (A) Theodolite surveying
  - (B) Tacheometry
  - (C) Trignometrical levelling
  - (D) Plane table surveying

- 147. Admixtures which cause early setting and hardening of concrete are called:
  - (A) Air entraining agents
  - (B) Workability admixture
  - (C) Accelerators
  - (D) Retarders
- 148. Basalt stone is by nature :
  - (A) meta morphic
- (B) volcanic
- (C) plutonic
- (D) sedimentary
- 149. In open channels, maximum velocity occurs:
  - (A) just below the free surface
  - (B) at the surface
  - (C) near the channel bottom
  - (D) in the mid-depth of flow
- 150.



For the cantilever beam shown in Fig, the value of shear Force at Fixed end is:

- (A) 100 km
- (B) 70 kN
- (0) 80 km
- (D) 90 kN
- In a simply supported beam of span, L subjected to Uniformly Distributed Load (UDL) of intensity W kN/m over it's entire length the maximum bending is given by the expression:

- The relationship between void ratio 'e' and porosity

- 153. When 1 cm on a map represents 10 m on the ground, the representative fraction of the scale is:

- 154. A simply supported beam of span'L' is loaded with downward uniformly distributed load of intensity W/mp over it's entire length. Which of the following orientation of T-beams is preferred to resist bending?









- 155. The total energy line lies over the hydraulic gradient line by an amount equal to:
  - (A) sum of pressure, velocity and datum heads
  - (B) pressure head,
  - (C) velocity head
  - (D) datum head, z
- 156. Diameter of a rivet hole is made larger than the diameter of the river by:
  - (A) 0.5 mm
- 1.0 mm
- (C) 3 mm
- (D) 2.0 mm
- 157. A flyover seggregates traffic with respect to:
  - (A) direction
- (B) grade
- (C) speed
- class of vehicle (D)

- 158. For producing electricity, following combination of machines will be required:
  - (A) Electric Motor + Pump
  - (B) Hydraulic Turbine + Generator
  - (C) Hydraulic Turbine + Electric Motor
  - (D) Generator + Pump
- 159. Irrigation efficiency of an irrigation system is the ratio of:
  - (A) Water reaching the farm to water delivered from the source
  - (B) Crop yield to total amount of water used in a field
  - (C) Water actually stored in root zone to water delivered to the farm
  - (D) Water actually utilised by growing crops to water delivered from the source
- 160. The specific gravity of bitumen is:
  - A) 2.09

- 1.09,
- 161. The ratio of normal stress to normal strain within elastic limits is called:
  - (A) Young's Modulus
- Shear Modulus
- O Poisson's Ratio
- (D) Bulk Modulus
- 162. Gravel and sand belongs to the following category of soils:
  - (A) alluvial
- (B) cohesive
- (C) expansive
- (D) marine
- The shape of Bending Moment Diagram in a beam subjected to only Uniformly Distributed Load (UDL)
  - (A) Constant
- Cubic parabola
- (C) Parabola
- (D) Triangular
- 164. To prevent sulphate attack in concrete, for preparing concrete mix, water pH must be within:
  - (A) 7-10
- (B) 4-6 (C)
- 5-7 (D) 6-9

- 165. For subcritical flow, the froude number is:
  - (A) Not equal to one
- B) Less than one
- (C) Greater than one
- (D) Equal to one
- 166. The permissible bending stress in working stress method of design of column base is considered equal to:
  - (A) 0.87 fy
- (B) 0.6 fy
- (C) 0.67 fy
- (D) 0.75 fy
- 167. In single laced column construction, the thickness of the flat lacing bars shall not be less than:
  - (A)  $\frac{1}{15}$  th of the width of the lacing bar
  - (B)  $\frac{1}{30}$  th of the effective length of single lacing
  - (C)  $\frac{1}{40}$  th of the effective length of single lacing
  - (D)  $\frac{1}{10}$  th of the width of the lacing bar
- 168. The most accurate instrument for measuring horizontal and vertical angles is:
  - (A) Theodolite
- (B) Dumpy level
- (C) Compass
- (D) Tape and chain
- 169. The quantity of wood for the shutters of doors and windows is calculated in :
  - (A)  $m^3$
- (B) lump-sum
- (C) m
- (D) m<sup>2</sup>
- 170. The plan of a building is in the form of square with centreline dimensions of outer walls as 14.7 m×14.7m. If the thickness of the wall in superstructure is 0.30 m, then its plinth area is:
  - (A)  $234 \text{ m}^2$
- (B) 150 m<sup>2</sup>
- (C) 216 m<sup>2</sup>
- (D) 225 m<sup>2</sup>

- 171. The counter lines can cross one another on map only in the case of:
  - (A) an overhanging cliff
  - (B) a vertical cliff
  - (C) a valley
  - (D) a ridge
- 172. The purpose of stiffeners in a plate girder is to:
  - (A) prevent buckling of web plate
    - (B) reduce the shear stress
    - (C) take care of bearing stress
    - (D) increase the moment carrying capacity of the girder
- 173. A fluid, which is incompressible and is having no viscosity is:
  - (A) Ideal fluid
  - (B) Real fluid
  - (C) Newtonian fluid
  - (D) Non Newtonian fluid
- 174. The value of property during its useful life based on purchase value and depreciations etc. is known as:
  - (A) Junk value
- (B) Salvage value
- (C) Scrap value
- (D) Book value
- 175. The relationship between atmosphere pressure (p<sub>atm</sub>), gage pressure (p<sub>gage</sub>) and absolute pressure (p<sub>abs</sub>) is given by:
  - (A)  $p_{atm} = p_{abs} p_{gage}$
  - (B)  $p_{abs} = p_{atm} + p_{gage}$
  - (C) Pabs = Patm Pgage
  - (D)  $p_{atm} = p_{abs} + p_{gage}$
- 176. In a structure, cables and wires are used generally as:
  - (A) to resist shear stress
  - (B) tension member
  - (C) compression member
  - (D) flexural member
- 177. When the magnetic bearing of the sun at noon is 185°20', the magnetic declination will be:
  - (A) 5°20' south
- (B) 5°20! east
- (C) 5°20' west
- (D) 5°20' north

- 178. A RCC column is regarded as long column if the ratio of its unsupported length between end restraints to least lateral dimension is more than:
  - (A) 25
- 150 (C)
- 125 (D)
- 179. The height of instrument is equal to:
  - (A) Reduced level of bench mark back sight
  - (B) Reduced level of bench mark + back sight
  - (C) Reduced level of bench mark + fore sight
  - (D) Reduced level of bench mark + Intermediate sight
- 180: Thickness of Plastering is usually:
  - (A) 40 mm
- 6mm
- (C) 12 mm
- 25 mm
- 181. Water absorption of Class I brick after 24 hours of immersion in water should not exceed of self weight.
  - (A) 25%
- 18% (C)

- 22%
- 182. For a given aggregate ratio increasing the water cement ratio:
  - (A) increases the strength
  - (B) decreases shrinkage
  - (C) increases shrinkage
  - (D) does not cause any change in shrinkage
- 183. Granite is a rock that is by nature:
  - (A) metamorphic
- volcanic
- (C) plutonic
- sedimentary
- 184. When the plastic limit of a soil is greater than the liquid limit, then the plasticity index is reported as:
  - (A) 1
  - (B) Negative
  - (C) Zero
  - (D) Non-Plastic (NP)
- 185. Compression members always tend to buckle in the direction of the:
  - (A) Leastradius of gyration
  - (B) Axis of load
  - (C) Perpendicular to the axis of load
  - (D) Minimum cross-section

- 186. As per IS 456-2000. In the absence of test data, the approximate value of the total strain for design may be taken as:
  - (A) 0.004
- (B) 0.001
- (C) 0.002
- (D) 0.003
- 187. Separation of water or water sand cement from a freshly mixed concrete is known as:
  - (A) Segregation
- Flooding
- (C) Bleeding
- Creeping

188.



Moment of Inertia of rectangular section shown in Fig. about its base is:

- The correct prismoidal formula for valume calculation is:
  - [ first section area + last section area +  $2\Sigma$ even numbered section area +4Σ odd numbered section areas
  - (B) D [first section area + last section area +  $\Sigma$  even numbered section area + 25 odd numbered section areas ]
  - $\frac{D}{a}$  [ first section area + last section area +  $4\Sigma$ even numbered section area + 25 odd numbered section areas
  - [ first section area + last section area  $+2\Sigma$ even numbered section area + 4Σ odd numbered section areas

- 190. Zinc Oxide is a pigment having colour \_\_\_\_
  - (A) blue
- B) white
- (C) yellow
- (D) red
- 191. The correction for sag is:
  - (A) Some times additive and sometimes subtractive
  - (B) Always additive
  - (C) Always subtractive
  - (D) Always zero
- 192. The permanent deformation of concrete with time under steady load is called:
  - (A) visco-elasticity
- B) vicidity
- (C) creep
- (D) relaxation
- 193. Intersection method in plane table surveying is most suitable for:
  - (A) Plains
- (B) Forests
- (C) Urban areas
- (D) Hilly areas
- 194. An aggregate is known as cyclopean aggregate if its size is more than:
  - (A) 75 mm
- (B) 4.75 man
- (C) 30 mm
- (D) \_60 mm
- 195. The centrifugal force on a car moving on a horizontal circular curve is proportional to:
  - (A)  $\frac{Wv^2}{(gR)}$
- (B)  $\frac{Wv}{(gR)}$
- (C)  $\frac{Wv^2}{(gR^2)}$
- (D)  $\frac{Wv}{(gR^2)}$

- 196. Using straight line method annual depreciation D is equal to:
  - (A) Life in year scrap value
    Original cost
  - (B) Scrap value life in year Original cost
  - (C) Original cost life in year scrap value
  - (D) Original cost scrap value life in year
- 197. If R and T are rise and tread of a stair spanning horizontally and steps are supported by wall on one side and by stringer beam on the other side, the steps are designed as beam of whath:
  - $(A) \frac{(R + T)}{2}$
- (B) R+T
- (C) T-R
- (D)  $\sqrt{R^2 + T^2}$
- 198. Segregation in the concrete occurs when:
  - (A) Cement gets separated from mixture due to excess water
  - (B) Cement fails to give adequate binding quality
  - (C) Water is driven out of concrete at a faster rate
  - (D) Coarse aggregate tries to separate out from the finer material
- 199. Unit of second moment of area is:
  - (A) mm
- (B) mm
  - $mm^4$  (C)
- $mm^3$  (D)  $mm^2$
- 200. BOD test is conducted at a temperature of:
  - (A) Ambient temperature
- (B) 15° C


(C) 20°C

(D) 27° C

# TEST - (iii)


# Part - B: GENERAL ENGINEERING (Electrical)

- A lamp having mean spherical candle power of 800
  is suspended at a height of 10 m. Calculate the
  illumination just below the lamp.
  - (A) 8000 lux
- (B) 8 lux
- (C) 80 lux
- (D) 800 lux
- 102. Hydrogen is used in large alternators mainly to:
  - (A) reduce eddy current losses
    - (B) reduce distortion of wave form
    - (C) cool the machine ---
    - (D) strengthen the magnetic field
- 103. Two wires A and B have the same cross-section and are made of the same material.  $R_A = 800~\Omega$  and  $R_B = 100~\Omega$ . The number of times A is longer than B is:
  - (A) 5
- 3) (
- (C) -2
- (D)
- 104. In the circuit shown in figure, find the transient current i(t) when the switch is closed at t = 0. Assume zero initial condition.



- 105. The Ebers Moll model is applicable to:
  - (A) JFET
- (B) BIT
- (C) NMOS transistor
- (D) UIT
- 106. A d.c. voltmeter has a sensitivity of 1000  $\Omega$ /watt. When it measure half full scale in 100 V range, the current through the voltmeter will be:
  - (A) 50 mA
- (B) 100 mA
- (C) 1 mA
- (D) 0.5 mA

- 107. A delta star transformer has a phase to phase voltage transformation ratio of a: 1 [ delta phase : star phase ]. The line to line voltage ratio of star delta is given by:
  - (A)  $\frac{a}{1}$
- (B)  $\frac{\sqrt{3}}{\sqrt{a}}$
- (C) a  $\frac{\sqrt{3}}{1}$
- (D)  $\frac{\sqrt{3}}{3}$
- 108. Which of the following motors can be run on A.C. as well as D.C. supply?
  - (A) Reluctance motor
  - (B) universal motor
  - (C) Repulsion motor
  - (D) synchronous motor
- 109. The power factor of the circuit shown in figure:



- (A) 0.75 lagging
- (B) 0.6 lagging
- (C) 0.3 lagging
- (D) 0.8 lagging
- 110. The power factor of an a.c. circuit is given by:
  - (A)  $\frac{R}{Z}$
- (B)  $\frac{X_L}{R}$
- (C)  $\frac{Z}{R}$
- (D)  $\frac{R}{X_L}$
- 111. A synchronous motor working at leading power factor can be used as:
  - (A) mechanical synchronizer
  - (B) voltage booster
  - (C) phase advancer
  - (D) noise generator
- 112. A 150 V d.c. motor of armature resistance 0.4 Ω has back emf of 142 V. The armature current is:
  - (A) 100 A
- (B) 10 A
- (C) 20 A
- (D) 150 A

- 113. As compared to full-wave rectifier using two diodes, the four diode bridge rectifier has the dominant advantage of:
  - (A) higher efficiency
  - (B) higher current carrying capacity
  - (C) lower peak inverse voltage requirement
  - (D) lower ripple factor
- 114. Speed of the megger is kept at:
  - (A) 160 rpm
- (B) 100 rpm
- (C) 120 rpm
- (D) 140 rpm
- 115. Two 100 W, 200 V lamps are connected in series across a 200 V supply. The total power consumed by each lamp will be watts:
  - (A) 200
- (B) 25
- (C) 50
- (D)

100

- 116. The Biot-Savart's law is a general modification of:
  - (A) Faraday's laws
- (B) Kirchhoff's law
- (C) Lenz's law
- (D) Ampere's law
- 117. The active and reactive powers of an inductive circuit are 60 W and 80 VAR respectively. The power factor of the circuit is:
  - (A) 0.8 lag
- (B) 0.5 lag
- (C) 0.6 lag
- (D) 0.75 lag
- 118. For which of the following the excitation control method is satisfactory?
  - (A) Long lines
- (B) Low voltage lines
- (C) High voltage lines
- (D) Short lines
- 119. The type of protection that does not respond to faults occurring beyond its zone even though the fault current may pass thro' the zone is:
  - (A) Back-up protection
  - (B) Busbar protection
  - (C) Unit protection
  - (D) Generator protection
- 120. If F is the load factor, the loss load factor is given by:
  - (A)  $0.35 \text{ F} + 0.7 \text{ F}^2$
- (B)  $0.25 F + 0.75 F^2$
- (C)  $0.25 F^2 + 0.85 F$
- (D)  $0.75 \text{ F} + 0.20 \text{ F}^2$

121. In a  $3\frac{1}{2}$  digit voltmeter, the largest number that can

be read is:


- (A) 9999
- (B) 0999
- (C) 1999
- (D) 5999
- 122. In suburban services as compared with urban service:
  - (A) the coasting period is smaller but free running period is longer
  - (B) the coasting period is smaller
  - (C) the coasting period is longer
  - (D) the coasting period and free running periods are same
- 123. Quadrilateral speed time curve is used for:
  - (A) goods line service
- (B) sub urban service
- (C) urban service
- ) main line service
- 124. Which of the following motor will give relatively high starting torque?
  - (A) Shaded pole motor
  - (B) Capacitor start motor
  - (C) Capacitor run motor
  - (D) Split phase motor
- 125. The current in reverse bias in P N junction diode may be:
  - (A) between 2A and 5A
  - (B) few micro or nano amperes
  - (C) few milli amperes
  - (D) between 0.2 A and 2A
- **126.** The repulsion-start induction-run motor is used because of:
  - (A) high starting torque
  - (B) good power factor
  - (C) high efficiency
  - (D) minimum cost
- 127. Which of the following is non-linear circuit parameter?
  - (A) Transistor
- (B) Inductance
- (C) Condenser
- (D) Wire wound resistor

- 128. The B—Hourve is used to find the mmf of this section of the magnetic circuit. The section is:
  - (A) vacuum
  - (B) iron part
  - (C) air gap
  - (D) both iron part and air gap
- 129. A terminal where three or more branches meet is known as:
  - (A) mesh
- (B) node
- (C) terminus
- (D) loop
- 130. For V-curves for a synchronous motor the graph is drawn between:
  - (A) armature current and power factor
  - (B) field current and armature current
  - (C) terminal voltage and load factor
  - (D) power factor and field current
- 131. Bundled conductors in EHV transmission system provide:
  - (A) increased corona loss
  - (B) increased line reactance
  - (C) reduced line capacitance
  - (D) reduced voltage gradient
- 132. Welding is injurious to eye because of:
  - (i) infrared radiation
  - (ii) ultraviolet radiation

Among the above two, choose the correct one from the following choices:

- (A) both are wrong
- (B) (i) alone is correct
- (C) (ii) alone is correct
- (D) both are correct
- 133. The rated speed of a given d.c. shunt motor is 1050 r.p.m. To run this machine at 1200 r.p.m the following speed control scheme will be used:
  - (A) Varying frequency
  - (B) Armature circuit resistance control
  - (C) Field resistance control
  - (D) Ward-Leonard control

134. After closing the switch 's' at t = 0, the current i (t) at any instant 't' in the network shown in the figure:




- (A)  $10-10 e^{-100t}$
- (B)  $10 + 10 e^{100t}$
- (C)  $10-10 e^{100t}$
- (D)  $10 \div 10 e^{-100t}$
- 135. To increase the range of an a.c. ammeter you would use:
  - (A) A condenser across the meter
    - (B) Current transformer
  - (C) A potential transformer
  - (D) An inductance across the meter
- 136. The voltage across 5 12 inductor is

$$V(t) = \begin{cases} 30 t^2, & t > 0 \\ 0, & t < 0 \end{cases}$$

Find the energy stored at t = 5 s. 'Assume zero initial current.

- (A) 312.5 k
- (B) 0.625 kJ
- (C) 3,125 kJ
- (D) 156.25 kJ
- 137. The energy stored in the magnetic field of a solenoid 30 cm long and 3 cm diameter with 1,000 turns of wire carrying current of 10 A is:
  - (A) 1.15 J
- (B) 0.015 J
- (C) 0.15 J
- (D) 0.5 J
- 138. In a power plant if the maximum demand on the plant is equal to the plant capacity, then:
  - (A) load factor will be nearly 60%
  - (B) plant reserve capacity will be zero
  - (C) diversity factor will be unity
  - (D) load factor will be unity
- 139. The least expensive fractional horse power motor is motor:
  - (A) A.C. series
- (B) shaded pole
- (C) capacitor start
- (D) split phase

- Which of the following condition is NOT mandatory | 146. Point out the WRONG statement. for alternators working in parallel?
  - (A) The alternators must have the same phase sequence.
  - (B) The terminal voltage of each machine must be the same.
  - (C) The machines must have equal kVA ratings.
  - (D) The alternators must operate at the same frequency.
- 141. Find the current through  $5\Omega$  resistor:



- (A) 3.5 A
- (B) 7.15 A
- (C) 5A
- (D) 2.85 A
- 142. An isolator is used in series with Air blast Circuit Breaker employed at UHV lines because:
  - (A) CB life is enhanced with the use of isolator
  - (B) current to be interrupted will be large
  - (C) gap between CB contacts is small so an isolator is used to switch off voltage
  - (D) gap between CB poles is small
- 143. Diversity factor has direct effect on the:
  - .(A) Operating cost of unit
  - (B) Fixed cost of the unit generated
  - (C) Variable cost of the unit generated
  - (D) Both variable and fixed cost of unit generated
- 144. Regulation of an alternator supplying resistive or inductive load is:
  - (A) infinity
- always negative (B)
- (C) always positive
- (D) zero
- 145. The highest transmission a.c. voltage in India is:
  - (A) 1750 kV
- 132 kV
- (C) 220 kV
- 400 kV (D)

The magnetising force at the centre of a circular coil

- (A) inversely as its radius
- (B) directly as the number of its turns
- (C) directly as the current
- (D) directly as its radius
- 147. The rotor slots, in an induction motor are usually not quite parallel to the shaft because it:
  - (A) improves the power factor
  - (B) improves the efficiency
  - (C) helps the rotor teeth to remain under the stator teeth /
  - (D) helps in reducing the tendency of the rotor teeth to remain under the stator teeth
- If a 10 p.F capacitor is connected to a voltage source with  $v(t) = 50 \sin 2000 t \text{ V}$ , then the current through the capacitor is
  - (A) 106 ces 2000 t (B)  $5 \times 10^{-4} \cos 2000 t$
  - cos 2000 t
- (D) 500 cos 2000 t
- 149, In a series resonance circuit, the impedance at half power frequencies is:
  - (A) 2 R
- $\frac{R}{\sqrt{2}}$  (C)  $\sqrt{2}$  R (D)  $\frac{R}{2}$
- A  $10\,\Omega$  resistive load is to be impedance matched by a transformer to a source with 6250  $\Omega$  of internal resistance. The ratio of primary to secondary turns of transformer should be:
  - (A) 25
- 10 (B)
- (D)
- The synchronous speed of a three phase induction motor having 20 polar and connected to a 50 Hz source is:
  - (A) 1200 rpm
- 300 rpm
- (C) 600 rpm
- 1000 rpm


- 152. A circuit with a resistor, inductor and capacitor in series is resonant of  $f_0$  Hz. If all the component values are now doubled the new resonant frequency
  - (A)  $f_0/4$
- (B)  $2f_0$  (C)  $f_0$

- 153. A 2 cm long coil has 10 turns and carries a current of 750 mA. The magnetising force of the coil is:
  - (A) 375 AT/m
- 225 AT/m (B)
- (C) 675 AT/m
- (D) 450 AT/m
- 154. A consumer has annual consumption of 7,00,800 units. If his maximum demand is 200 kW. The load factor will be:
  - (A) 70%

- 155. The rated voltage of a 3-phase power system is given
  - (A) peak line to line voltage
  - (B) rms phase voltage
  - (C) peak phase voltage
  - (D) .rms line to line voltage
- 156. For a half wave rectified sine wave the ripple factor
  - (A) 1.00°
- 1.65 (C)

- 1.45 (D) 1.21
- 157. Which one of the following bridges is generally used for measurement of frequency and also capacitance?
  - (A) Wien bridge
- Hay's bridge (B)
- (C) Owen's bridge
- Schering bridge
- 158. Two voltmeters of (0-300 V) range are connected in parallel to a a.c. circuit. One voltmeter is moving iron type reads 200 V. If the other is PMMC instrument, its reading will be:
  - (A) 127.4 V
- slightly less 200 V
- (C) zero
- (D) 222 V
- 159. The least number of 1-\$\phi\$ wattmeters required to measure total power consumed by an unbalanced load fed from a 3\phi, 4 wire system is:
  - (A) 4
- (B)
- 1
- (C)
- (D) 3

160. Total capacitance between the points L and M in figure is:




- (A) 4.05 uF
- (B) 1.45 μF
- (C) 1.85 µF
- (D) 2.05 µF
- EMF induced in a coil rotating in a uniform magnetic field will be maximum when the:
  - (A) Rate of cutting flux by the coil sides is minimum.
  - (B) Flux linking with the coil is maximum.
  - (C) Rate of change of flux linkage is minimum.
  - (D) Rate of change of flux linkage is maximum.
- If resistance is  $20 \Omega$  and inductance is 2 H in a RL 162. series circuit, then time constant of this circuit will be:
  - (A) 100s
- (B) 0.001s
- (C) 0.1s
- 1.0s (D)
- When the rotor of a three phase induction motor is blocked, the slip is:
  - (A) 1
- (B)

0.5

- The positive, negative and zero sequence 164. impedances of 3-phase synchronous generator are i 0.5 pu, i 0.3 pu and i 0.2 pu respectively. When symmetrical fault occurs on the machine terminals. Find the fault current. The generator neutral is grounded through reactance of j 0.1 pu.
  - (A) -j3.33 pu
- -j 1.67 pu
- (C) -j2.0 pu
- (D) -i2.5 pu
- Transient current in RLC circuit is oscillatory when 165. the value of R is:
  - (A) more than 2  $\sqrt{\frac{C}{L}}$  (B) less than 2  $\sqrt{\frac{L}{C}}$
  - (C) less than 2  $\sqrt{\frac{C}{L}}$  (D) more than 2  $\sqrt{\frac{L}{C}}$


- **166.** For average values of load current, current chopping occurs more frequently in:
  - (A) VCB's
- (B) OCB's
- (C) ACB's
- (D) SF<sub>6</sub> CB's
- 167. A BJT is said to be operating in the saturation region, if:
  - (A) Both the junctions are forward biased
  - (B) both the junctions are reverse biased
  - (C) B-E junction is reverse biased and B-C junction is forward biased
  - (D) B-E junction is forward biased and B-C junction is reverse biased
- 168. The mutual inductance between two unity coupled coils of 9 H and 4 H will be:
  - (A) 36 H (B)
- (B) 2.2 H (C)
  - 2)
    - 6H (D)
- 13 H
- **169.** Determine the voltage at point C shown below with respect to ground:



- 170. The efficiency normally obtained in a circuit under the conditions of maximum power transfer is:
  - (A) 100%
- (B) 25%
- (C) 50%
- (D) 75%
- 171. A magnet is kept in the medium of air surrounded by an iron ring. The magnetic lines of force from the magnet will be:
  - (A) Very small in the ring
  - (B) Crowded in the ring
  - (C) Passing out of the ring
  - (D) Evenly distributed within the ring


- 172. Which semiconductor device behaves like two SCR's?
  - (A) Triac
- (B) MOSFET
- (C) JFET
- (D) UJT
- 173. Three resistors, each of 'R'  $\Omega$  are connected in star. What is the value of equivalent delta connected resistors?
  - (A)  $3R\Omega$
- (B)  $\frac{R}{2}\Omega$
- (C) 2 R Ω
- (D)  $\frac{R}{3} \Omega$
- 174. Super position theorem can be applied only to:
  - (A) bilateral networks
  - (B) linear networks
  - (C) non-linear networks
  - (D) linear bilateral networks
- 175. Moving coil (PMMC) and moving iron instruments can be distinguished by observing its:
  - (A) size of terminals
- (B) pointer
- (C) range
- (D) scale
- 176. In a fluorescent tube circuit, the function of choke is primarily to:
  - (A) improve the brightness of the tube
  - (B) initiate the discharge
  - (C) reduce the flicker
  - (D) reduce the starting current
- 177. The magnetic field energy in an inductor changes from maximum value to minimum value in 5 m sec when connected to an a.c. source. The frequency of the source is:
  - (A) 500 Hz
- (B) 20 Hz
- (C) 50 Hz
- (D) 200 Hz
- 178. The distribution losses that the utility suffers while transferring power from generating station to the consumer is accounted under:
  - (A) Maintenance cost
  - (B) Fixed charges
  - (C) Running charges
  - (D) Cost of fuel

- **179.** The magnetic potential difference in a magnetic circuit is given by:
  - (A) B1H (B)
- (B) H J l (C)
- $\supset$  BI
- (D) H1
- 180. Two electric bulbs have tungsten filament of same thickness. If one of them gives 60 W and the other gives 100 W, then:
  - (A) 60 W and 100 W lamp filaments have equal length
  - (B) 60 W lamp filament has shorter length
  - (C) 100 W lamp filament has longer length
  - (D) 60 W lamp filament has longer length
- 181. A capacitor with no initial charge at t = ∞ acts:
  - (A) Open-Circuit
- (B) Voltage Source
- (C) Current Source
- (D) Short-Circuits
- 182. "Danger 440 V" plates are
  - (A) informal notices
- (B) danger notices
- (C) caution notices
- (D) advisory notices
- 183. Find R<sub>2</sub> for the circuit shown in figure:



- (A) 25 mega ohm
- (B) 25 milli ohm
- (C) 25 ohm
- (D) 25 kilo ohm
- 184. The purpose of choke in a fluorescent tube is to:
  - (A) increase voltage momentarily
  - (B) decrease current
  - (C) increase current
  - (D) decrease voltage momentarily

- 185. A 3-phase 4 pole induction motor works on 3-phase 50 c/s supply. If the slip of the motor is 4%. The actual speed will be:
  - (A) 720 rpm
- (B) 1550 rpm
- (C) 1460 rpm
- (D) 1440 rpm
- 186. As per IE rules the permissible variation of voltage at the consumer end is:
  - (A)  $\pm 6\%$
- $(B) \pm 10\%$
- (C)  $\pm 12\%$
- (D) ±2%
- 187. In which single phase motor, the rotor has no teeth or winding?
  - (A) Universal motor
- (B) Split phase motor
- (C) Reluctance motor
- (D) Hysteresis motor
- 188. Two d.c. series motors connected in series draw current I from supply and run at speed N. When the same two motors are connected in parallel taking current I from the supply, the speed of each motor will be:
  - (A)  $\frac{N}{2}$
- (B) N
- (C) 2 N
- (D) 4 N
- 189. Using Millman's theorem, find the current through the load resistance  $R_L$  of 3  $\Omega$  resistance shown below:




- (A) 12 A
- (B) 4A
- (C) 6A
- (D) 8 A
- 190. An ideal voltage source should have :
  - (A) infinite source resistance
  - (B) large value of emf
  - (C) small value of emf
  - (D) zero source resistance

- 191. Consider a constant uniform magnetic field. A conductor moves across this field at a constant velocity. The emfinduced in the conductor is termed
  - (A) Self-Induced emf
  - (B) Induced emf
  - (C) Statically Induced emf
  - (D) Dynamically Induced emf
- 192. A generating station supplies the following loads 15000 kW, 12000 kW, 8500 kW, 6000 kW and 450 kW. The station has maximum demand of 22000 kW. Calculate the diversity factor.
  - (A) 1.91
- 0.52 (C)
- 0.68 (D)
  - 1.34
- 193. A magnetic circuit carries a flux  $\phi_i$  in the iron part and a flux  $\varphi_{\epsilon}$  in the air gap. Then leakage co-efficient

- 194. The maximum demand of a consumer is 2 kW and his daily energy consumption is 20 units. His load factor is:
  - (A) 21 %
- 10.15 %
- (C) 41.6 %
- 50 %
- 195. A wheat stone bridge has ratio arm of 1000  $\Omega$  and 100  $\Omega$  resistances, the standard resistance arm consist of 4 decade resistance boxes of 1000, 100, 10,  $1\Omega$  steps. The maximum and minimum value of unknown resistance that can be determined with this setup are:
  - (A) 111100 Ω, 10 Ω
- 111100  $\Omega$ , 1  $\Omega$
- (C) 11110  $\Omega$ , 10  $\Omega$
- $10000 \Omega, 10 \Omega$

196. Thevenin's equivalent voltage and resistance between the terminal A and B for network of given figure is:



- (A)  $2.5 \text{ V}, 12.5 \Omega$
- (B)  $2.5 \text{ V}, 3.75 \Omega$
- (C) 12.5 V, 3.75 Ω
- (D) 12.5 V, 2.5 Ω
- Low frequency operation of a.c. series motor in 197. traction application:
  - (A) Improves its commutation but starting current increases.
  - (B) Improves its commutation property but pf and nreduces.
  - (C) Improves its commutation, pf and efficiency.
  - (D) Adversely affects commutation but pf and n improves.
- The speed of a p-pole synchronous machine in r.p.m. 198. is given by


- 199. Which of the following motor has high starting torque?
  - (A) synchronous motor
  - (B) a.c. series motor
  - (C) d.c. series motor
  - (D) induction motor
- What is the order of minimum displacement that can be measured with capacitive transducers?
  - (A)  $1 \times 10^{-12}$ m
- 1 cm
- (C) 1mm
- (D) 1 µm

# TEST - (iii)

# Part - C : GENERAL ENGINEERING (Mechanical)

- 101. For laminar flow in a pipe, average velocity is equal to:
  - (A) 2 U<sub>max</sub>
- (B) U<sub>max</sub>
- (A)  $2 U_{max}$  (B)  $U_{max}$  (C)  $0.5 U_{max}$  (D)  $0.25 U_{max}$
- 102. Crude oil of kinematic viscosity 2,25 stokes flows through a 20 cm diameter pipe, the rate of flow being 1.5 litres/s. The flow will be:
  - (A) Uncertain
- (B) Laminar
- (C) Turbulent
- (D) Transition
- 103. The power transmitted by a belt is maximum when the maximum tension in the belt compared to centrifugal tension is:
  - (A) 3-5 times
- (B) 2 times
- (C) 3 times
- (D) 4 times
- 104. Effort lost in friction in a simple machine is:
  - (A)  $P-2P_0$
- (B)  $2P-P_0$
- (C)  $P_0 P/2$ 
  - (D)  $P-P_0$
- 105. Non uniform ramming of moulding sand may lead to the following casting defect:
  - (A) scabs
- (B) swells
- (C) blow holes
- (D) bends
- 106. A Bell Coleman cycle is:
  - (A) reversed Stirling cycle
  - (B) reversed Carnot cycle
  - (C) reversed Joule cycle
  - (D) reversed Atkinson cycle
- 107. For a centrifugal blower, power consumption is proportional to:
  - (A) cubic power of r.p.m.
  - (B) r.p.m.
  - (C) square of r.p.m.
  - (D) square root of r.p.m.

- 108. A reaction turbine (hydraulic) discharge 34 m<sup>3</sup>/s under a head of 8 m and with an overall efficiency of 91%. The power developed in MW is:
  - (A) 4.32
- (B) 3.24
- (C) 2.43
- (D) 2.34
- The equivalent evaporation (kg/hr.) of a boiler producing 2000 kg/hr. of steam with enthalpy content of 2426 kJ/kg from feed water at temp. 40°C (liquid enthalpy=168 kJ/kg; enthalpy of vaporisation of water at  $100^{\circ}$ C = 2258 kJ/kg) is:
  - (A) 1649
- (B) 2000
- (C) 2149
- 110. For maximum work output in a two stage expansion gas turbine with perfect, the intermediate pressure (P) has the following relationship with maximum pressure (P<sub>1</sub>) and minimum pressure (P<sub>2</sub>) of the cycle:



(B) 
$$P = \sqrt{P_1 P_2}$$

(C) 
$$P = \left(\frac{P_1}{P_2}\right)^{\frac{1}{2}}$$

(C) 
$$P = \left(\frac{P_1}{P_2}\right)^{\frac{1}{2}}$$
 (D)  $P = \left(\frac{P_1 + P_2}{4}\right)^{\frac{1}{2}}$ 

- 111. Discharge (Q) of a centrifugal pump is given by :
  - (A)  $bV_f$
- (B) πD V<sub>6</sub>
- (C) π bV<sub>ε</sub>
- (D) πdb Vc
- Where, D=Diameter of impeller at inlet.
  - b = Width of impeller at inlet.
  - $V_f$  = Velocity of flow at inlet.

- 112. When steam flows over moving blades of an impulse turbine:
  - (A) both pressure and velocity decreases.
  - (B) pressure drops and velocity increases.
  - (C) pressure remains constant and velocity decreases.
  - (D) both pressure and velocity remains constant.
- 113. Electrode used in TIG is:
  - (A) Copper
- (B) Tungsten
- (C) Aluminium
- (D) Cast iron
- 114. Maximum efficiency for a single stage pure impulse blading (symmetric) with nozzle angle ' $\alpha$ ' is:
  - (A)  $\cos^2\left(\frac{\alpha}{2}\right)$
- (B) cos α
- (C) cos<sup>2</sup>α
- (D)  $\cos\left(\frac{\alpha}{2}\right)$
- 115. The crank pin is to be connected in the bush and the dimensions for the bush and crank are given


-0.017 -0.03

respectively of in mm are  $16^{+0.000}$ ,  $16^{-0.062}$ . Maximum clearance between bush and crank pin is:

- (A) 0.079 mm
- (B) 0.0079 mm
- (C) 0.035 mm
- (D) 0.062 mm
- 116. How many links does a pantograph mechanism contain?
  - (A) Ten
- (B) Two
- (C) Four
- (D) Nine
- 117. A single-stage impulse turbine with a diameter of 120 cm runs at 3000 rpm. If the blade speed ratio is 0.42, the inlet velocity of steam will be:
  - (A) 900 m/s
- (B) 80 m/s
- (C) 200 m/s
  - (D) 450 m/s
- **118.** For hydrodynamically smooth boundaries, the friction factor for turbulent flow is:
  - (A) dependent on relative roughness only
  - (B) constant
  - (C) dependent only a Reynolds number
  - (D) function of Reynolds number and relative roughness

- 119. An important factor to be taken into account while designing a core print is:
  - (A) Pouring temperature
  - (B) Pattern material
  - (C) Type of mould
  - (D) Moulding sand characteristics
- **120.** The flow of water in wash basin through a central opening is an example of :
  - (A) Rankine vortex
  - (B) Free vortex :
  - (C) Forced vortex
  - (D) Rotational vortex
- 121. Which one of the following safety device is used to protect the boiler when the water level falls below a minimum level:
  - (A) Safety valve
  - (B) Water level indicator
  - (C) Finisible plug
  - (D) Blow off cock
- 122. One stoke is equal to:
  - (A) 1 cm<sup>2</sup>/sec
- (B) 1 m<sup>2</sup>/sec
- (C) 1 mm<sup>2</sup>/sec
- (D) 10 m<sup>2</sup>/sec
- 123. Euler's number relates:
  - (A) Inertia force and elastic force.
  - (B) Inertia force and gravity force.
  - (C) Inertia force and pressure force.
  - (D) Pressure force and viscous force.
- 124. The length of a pipe is 1000 m and its diameter is 20 cm. If the diameter of an equivalent pipe is 40 cm, then its length is:
  - (A) 4000 m
- (B) 32000 m
- (C) 20000 m
- (D) 8000 m
- 125. A casting defect which results in general enlargement of a casting is known as:
  - (A) swell
- (B) shift
- (C) sand wash
- (D) blow hole

- 126. A jet of water issues from a nozzle with a velocity | 131. The dimensions of the surface tension are: 20 m/s on a flat plate moving away from it at 10 m/s. The cross-sectional area of the jet is 0.01 m<sup>2</sup> and the density of water =  $1000 \text{ kg/m}^3$ . The force developed on the plate in Newtons is:
  - (A) 2000
- (B) 9810
- (C) 5000
- (D) 7000
- The total number instantaneous centres for a mechanism consisting of 'n' links are:
- (C) n
- 128. Poisson's ratio is defined as the ratio of:
  - (A) Shear stress to shear strain
  - (B) Longitudinal strain to lateral strain
  - (C) Lateral strain to longitudinal strain
  - (D) Axial stress to axial strain
- The product of circular pitch and diametral pitch is - 129. equal to:
  - (A) n
- (B) Module
- (C) Unity
- (D) 1/\pi
- The figure shows four curves for velocity 130. distribution across a section for Reynolds number equal to 1000, 3000, 4000, 5000. Curve A corresponding to Reynolds number:



- (A) 5000 (B) 1000
- (C) 3000
- (D) 4000

- - (A)  $[M^1 L^0 T^2]$
- (B)  $[M^1 L^0 T^{-2}]$
- (C) [M1 L1 T-2]
- (D)  $[M^1L^{-1}T^{-2}]$
- To prevent oscillation of the meniscus the length of 132, the connecting tubes should be:
  - (A) unequal
  - (B) large
  - (C) small
  - (D) equal to 10 times diameter
- 133. For an ideal gas the compressibility factor is:
  - (A) some finite value greater than unity
  - (B) zero
  - (C) units
  - (D) infinity
- 134. Abody of mass 5 kg is pushed up to 2 m on a smoth 30° incline by a force of 60 N acting parallel to the plane. The work done on the body is:
  - (A) Zero
- (B) 70.95 J
- 141.9
- (D) 35.47 J
- Reheat factor for a multi-stage steam turbine is the 135 ratio of:
  - (A) inlet temperature to the exit temperature.
  - (B) cumulative enthalpy drop to the total isentropic enthalpy.
  - (C) total isentropic enthalpy drop to the total entropy increase.
  - (D) total isentropic enthalpy drop to the exit temperature.
- 136. The purpose of the flywheel in an IC engine is:
  - (A) To regulate the fuel supply
  - (B) To keep the output power constant at the crank shaft
  - (C) To increase the power capacity of the engine
  - (D) To reduce the vibration in an engine

- 137. The ratio of equivalent length of the column to minimum radius of gyration is called as:
  - (A) Bulking factor
  - (B) Factor of safety
  - (C) Poisson's ratio
  - (D) Co-efficient restitution
- 138. The hot wire anemometer is used to measure:
  - (A) Liquid velocities
  - (B) Pressure in gases
  - (C) Discharge of gases and liquids
  - (D) Gas velocities
- 139. An engine oil of viscosity  $22.5 \times 10^{-2}$  (Per.s) is flowing through a pipe of radius 1 m. Average velocity of oil through the pipe is 1.2 m/sec. If the velocity profile is parabolic profile then maximum velocity of oil is:
  - (A) 2.4 m/sec
- (B) 1.8 m/sec
- (C) 1.5 m/sec
- (D) 3.6 m/sec
- **140.** In a 1=100 scale model of a harbour, time which corresponds to the prototype tidal period of 12 Hrs will be in Hr:
  - (A) 12
- (B) 1
- (C) 10
- (D) 1.2
- 141. Two Tensile forces, each of magnitude F are acting at a point perpendicular to each other, then their resultant force will be:
  - (A)  $\sqrt{2}$  I
- (B) Zero
- (C) \( \sqrt{F}
- (D) √2F
- 142. The Taylor's correlation between the cutting speed (V) and the tool life (T) is given by:
  - (A)  $\frac{V^n}{T}$  = Constant
  - (B) VT<sup>n</sup> = Constant
  - (C)  $\frac{V}{T^n}$  = Constant
  - (D)  $V^n T = Constant$

- **143.** The co-efficient of discharge, velocity and contraction Cd, Cv, and Cc are related as:
  - (A) Cd = Cc Cv
- (B)  $Cd = \frac{Cc}{Cv}$
- (C)  $Cd = Cc \times Cv$
- (D) Cd = Cc + Cv
- **144.** The expression for capillary rise is given by when, σ-surface tenrion, θ-Angle of contact and ρ-density:
  - (A)  $h = \frac{2 \sigma \sin \theta}{\rho g d}$
- (B)  $h = \frac{4 \sigma \cos \theta}{\rho g d}$
- (C)  $h = \frac{2 \sigma \cos \theta}{\rho g d}$
- (D)  $h = \frac{4 \sigma \sin \theta}{\rho g d}$
- 145. Notch is a device used for measuring:
  - (A) velocity through small channels
  - (B) rate of flow through pipes
  - (C) rate of flow through a small channels
  - (D) velocity through pipes
- 146. Which cross-section of a cantilever beam which is loaded with UDL can give economical design:
  - (A) Square
- (B) Circular
- (C) I-Section
- (D) Rectangular
- 147. What torque is Nm is required to give 3 m<sup>3</sup>/s of water, a moment of momentum, so that it has a tangential velocity of 3 m/s at a distance of 1.8 m from the axis?
  - (A) 16200
- (B) 157
- (C) 2624
- (D) 8138
- 148. The device which permits the connection and disconnection of shaft is:
  - (A) Bearing
- (B) Connector
- (C) Clutch
- (D) Pulley

#### https://www.facebook.com/galaxy.ssc //www.galaxyclasses.co.in f Facebook page:


		reopon// www.gecteace	, eta e e e e e e e e e e e e e e e e e e
149.	Heating wet stea same as heating a	m at constant temperature is the at constant:	7. If in a diesel en will:
	(A) Entropy	(B) Pressure	(A) run at low
	(C) Volume	(D) Enthalpy	(B) explode
			(C) run at high

- 150. The term bleeding in a steam turbine refer to:
  - (A) removal of wet steam in the low pressure stages of turbine.
  - (B) leakage of steam.
  - (C) steam extracted for preheating feed water.
  - (D) steam doing no useful work.
- 151. Which of the following is an extensive property?
  - (A) temperature
- (B) pressure
- (C) density
- (D) enthalpy
- 152. The latent heat of evaporation of water at 100°C is 2560 kJ/kg. What is the change of entropy associated with the evaporation?
  - (A)  $-25.6 \, \text{kJ/kg-K}$
- (B) 25.6 kJ/kg-K
- (C)  $256 \times 10^3 \,\text{kJ/kg-K}$
- (D) 6.86 kJ/kg-K
- 153. Using lubricants on engine parts is an example of reducing:
  - (A) Motion
- (B) Force
- (C) Acceleration
- (D) Friction
- 154. One poise is equivalent to:
  - (A) 1 kg/m-hr
  - (B) 1 gm/cm-sec
  - (C) 98 dyne/sec
  - (D) 68 kgf-sec/m<sup>2</sup>
- 155. For maximum discharge, ratio of the pressure at the exit and at inlet of the nozzle  $(P_2/P_1)$  is equal to:
  - (A)  $[2/(n+1)]^{(n+1)/n}$
  - (B)  $[2/(n+1)]^{n/(n-1)}$
  - (C)  $[2/(n+1)]^{(n-1)/n}$
  - (D)  $[2/(n+1)]^{n/(n+1)}$
- The process of removing unwanted material from the casting is called:
  - (A) blowing
- (B) cleansing
- (C) finishing
- (D) fettling

- gine petrol is used then the engine
  - speed
  - (C) run at high speed
  - (D) run with high knocking
- 158. For a closed system, the difference between heat added to the system and work done by the system, is equal to change in:
  - (A) entropy
- temperature
- (C) internal energy
- (D) enthalpy
- 159. The indicator on an engine is used to determine:
  - (A) IHP and mcp
- (B) BHP
- (C) Speed
- (D) Temperature
- The circular pitch of a toothed wheel having 24 teeth 160. and module of 4:25 mm will be:
  - (A) 8.50 mm
- (B) 1.35 mm
- (C) 4.25 mm
- (D) 6.67 mm
- 161. The process in which no heat enters or leaves the system is called as:
  - (A) isentropic
- (B) isobaric
- (C) isochoric
- (D) isothermal
- Two gases X and Y having the same temperature T, 162. the same pressure P and the same volume V are mixed. If the mixture has the volume V and temperature T, then the pressure of the mixture will be:
  - (A) 4P

- (D) 2P
- 163. Which gas among the following has the highest value of adiabatic index?
  - (A) Helium
- (B) Nitrogen
- (C) Oxygen
- (D) Methane

- 164. Rotameter is a device used to measure:
  - (A) Rotation
  - (B) Absolute pressure
  - (C) Velocity of fluid
  - (D) Flow rate
- 165. The piston of a vertical piston-cylinder device containing a gas has a mass of 60 kg and a cross-sectional area 0.04 m<sup>2</sup>. The entire system is placed in a vacuum chamber. If temperature of the gas is 70°C. What is the pressure of gas inside the cylinder? g=9.8 m/s<sup>2</sup>



- (A) 0.7 bar
- (B) 0 bar
- (C) 0.3 bar
- (D) 0.147 bar
- 166. The only angle on which the strength of the tool depends, is:
  - (A) lip angle
  - (B) clearance angle
  - (C) rake angle
  - (D) cutting angle
- 167. The size of the gear is usually specified by
  - (A) Pitch circle diameter
  - (B) Pressure angle
  - (C) Circular pitch
  - (D) Diameter pitch
- 168. The circumferential stress in a thin shell due to internal fluid pressure is given by:
  - (A)  $\frac{\pi Pd^2}{4}$
- (B)  $\frac{Pc}{t}$
- (C)  $\frac{4P}{\pi d^2}$
- (D)  $\frac{Pc}{2t}$

- **169.** A long circular cylinder has a diameter D and length L . The slenderness ratio of the column is:
  - (A)  $\sqrt{\frac{L}{D}}$
- (B)  $\left(\frac{L}{D}\right)$
- (C)  $\left(\frac{2L}{D}\right)$
- (D)  $\left(\frac{4L}{D}\right)$
- 170. Rivets are generally specified by:
  - (A) Diameter of head
  - (B) Thickness of plates to be riveted
  - (C) Length of rivet
  - (D) Nominal diameter
- 171. A beam is fixed at one end and free at the other end.
  A load acts in the centre. The maximum bending moment will occur at:
  - (A) between centre and fixed end
  - (B) under the load
  - (C) fixed end
  - (D) free end
- 172. Which of the following material is added to base sand to impart bonding strength:
  - (A) sea coal
- (B) silica
- (C) bentonite
- (D) wood flour
- 173. The commercially available petrol in India has an octane rating of:
  - (A) 85-90
- (B) 20-30
- (C) 40-50
- (D) 60-75
- 174. Herring bone gears are:
  - (A) Double helical gears
  - (B) Spur gears with small teeth
  - (C) Large worm gears
  - (D) Spiral gears

	nttps://www.gai	axyc	classes.co.in			
Which of the follow resistance to detonat	ving fuel having maximum ion?	183.				
(A) n-heptane	(B) benzene		tection of the decision of the			
(C) toluene	(D) iso-octane		(C) A five layer flat			
In arc welding temper of:	rature generated is of the order		(D) B-Section V be	lt ∘		
(A) 8000°C	(B) 1000°C	184.	For a particular i	deal gas, the value of R		
(C) 3500°C	(D) 5500°C		$0.280  \text{kJ/kgK}$ and the of $C_p$ and $C_v$ are, res	ne value of $\gamma$ is 1.375. The value pectively, in kJ/kgK:		
		24 22	(A) 1.25, 0.8 (C) 1.111, 0.66	(B) 1.0267, 0.7467 (D) 1.2, 0.70		
(A) Zero						
(C) 40π rad	(D) 20π rad	185.	The compression ra	atio for diesel engine lie in th		
Barometer is used to a	measure ·		(A) 30 to 40	(B) 5 to 8		
	Treate to		(C) 15 to 20	(D) 3 to 6		
2000 AND SOUTH SOUTH SOUTH SOUTH	s and channels	86	200100			
The state of the s		186.	The degree of reaction	on of a Kaplan turbine is:		
(D) Very low pressur	re .		(A) equal to 1			
Randing mamont at t	ha cumports in area of airmly		(b) equal to 380			
supported beam is:	ne supports in case of simply	8	(C) greater than zer	ra birt lose than =		
(A) > 1	(B) Zero		(c) greater man zer	2		
(C) 1	(D) <1		(D) greater than $\frac{1}{2}$	but less than 1		
				527		
bending moment occi	arring in the beam is:	187.		atic viscosity 0.4×10 <sup>-4</sup> m <sup>2</sup> / 10 mm diameter pipe. Th		
(C) 0.05 N-m	(D) 0.025 N-m		$(A) \leq 2  \text{m/s}$	(B) $\leq 10  \text{mm/s}$		
The maximum engad	and minimum enood in r n m		(C) $\leq 1 \text{ m/s}$	(D) $\leq 1.5 \mathrm{m/s}$		
			74°			
		188.	Which is not a part o	f magneto-ignition system?.		
(A) 4 (B) 2	(C) 8 (D) 6	9 8	(A) condenser	(B) battery		
5040A0A00 450 250000 464		768 E	(C) induction coil	(D) circuit breaks		
	of moment of momentum	N/ENDORSEC				
	l by the fluid	189.		of a force is negative and th		
	553		y-component is positive, the direction of that force			
				t (B) First quadrant		
	resistance to detonate (A) n-heptane (C) toluene  In arc welding temper of: (A) 8000°C (C) 3500°C  A fan rotates at a constangular displacement (A) Zero (C) 40π rad  Barometer is used to re (A) Rain level (B) Pressure in piper (C) Atmospheric-pre (D) Very low pressure  Bending moment at the supported beam is: (A) > 1 (C) 1  A simply supported be to a distributed load bending moment occur (A) 1.0 N-m (C) 0.05 N-m  The maximum speed at a Watt governor arrange of speed of the general constant in the speed of the general const	Which of the following fuel having maximum resistance to detonation?  (A) n-heptane (B) benzene (C) toluene (D) iso-octane  In arc welding temperature generated is of the order of:  (A) 8000°C (B) 1000°C (C) 3500°C (D) 5500°C  A fan rotates at a constant speed of 60 rpm. The total angular displacement it makes in 10 sec is: (A) Zero (B) 10π rad (C) 40π rad (D) 20π rad  Barometer is used to measure: (A) Rain level (B) Pressure in pipes and channels (C) Atmospheric pressure (D) Very low pressure  Bending moment at the supports in case of simply supported beam is: (A) > 1 (B) Zero (C) 1 (D) < 1  A simply supported beam of 1 m length is subjected to a distributed load of 0.4 N/m. The maximum bending moment occurring in the beam is: (A) 1.0 N-m (B) 0.1 N-m (C) 0.05 N-m (D) -0.025 N-m  The maximum speed and minimum speed in r.p.m. at a Watt governor are 72 and 68 respectively. The range of speed of the governor is: (A) 4 (B) 2 (C) 8 (D) 6  The rate of change of moment of momentum represents the: (A) Power developed by the fluid (B) Force exerted by fluid	Which of the following fuel having maximum resistance to detonation?  (A) n-heptane (B) benzene (C) toluene (D) iso-octane  In arc welding temperature generated is of the order of:  (A) 8000°C (B) 1000°C (C) 3500°C (D) 5500°C  A fan rotates at a constant speed of 60 rpm. The total angular displacement it makes in 10 sec is: (A) Zero (B) 10π rad (C) 40π rad (D) 20π rad  Barometer is used to measure: (A) Rain level (B) Pressure in pipes and channels (C) Atmospheric pressure (D) Very low pressure  Bending moment at the supports in case of simply supported beam is: (A) >1 (B) Zero (C) 1 (D) <1  A simply supported beam of 1 miength is subjected to a distributed load of 0.4 N/m. The maximum bending moment occurring in the beam is: (A) 1.0N-m (B) 0.1 N-m (C) 0.05 N-m (D) -0.025 N-m  The maximum speed and minimum speed in r. p.m. at a Watt governor are 72 and 68 respectively. The range of speed of the governor is: (A) 4 (B) 2 (C) 8 (D) 6  The rate of change of moment of momentum represents the: (A) Power developed by the fluid (B) Force exerted by fluid	(A) n-heptane (B) benzene (C) toluene (D) iso-octane  (A) 8.000°C (B) 1000°C (C) 3500°C (D) 5500°C  A fan rotates at a constant speed of 60 rpm. The total angular displacement it makes in 10 sec is: (A) Zero (B) 10π rad (C) 40π rad (D) 20π rad  Barometer is used to measure: (A) Rain level (B) Pressure in pipes and channels (C) Atmospheric pressure (D) Very low pressure (D) Very low pressure (D) Very low pressure (D) 1 (D) <1  Arisimply supported beam of 1 milength is subjected to a distributed foad of 0.4 N/m. The maximum bending moment occurring in the beam is: (A) 1.0N-m (C) 0.05 N-m (D) 0.025 N-m (D) 0.025 N-m (E) 6 (D) 6  The rate of change of moment of momentum represents the: (A) Power developed by the fluid (B) A three layer flat (C) A five layer flat (D) B - Section V be (B) A three layer flat (C) A five layer flat (D) B - Section V be (C) A five layer flat (D) B - Section V be (C) 2.80 kJ/kgK and the of 2.80 kJ/kgK an		

(D) Work done by the fluid

(C) Second quadrant (D) Third quadrant

- 190. In a gear drive, module is equal to:
  - (A)  $\frac{1}{\text{Diametral pitch}}$
- (B)  $\frac{1}{\text{Circular pitch}}$
- (C)  $\frac{\text{Circular pitch}}{\pi}$
- (D)  $\frac{\text{Diametral pitch}}{\pi}$
- 191. The quantity, which is equal to rate of change of momentum is known as:
  - (A) impulse
- (B) displacement
- (C) acceleration
- (D) force
- **192.** Multistage centrifugal pumps are used to obtain high:
  - (A) Pumping of viscous fluids
  - (B) Discharge
  - (C) Head
  - (D) Efficiency
- 193. The diameter of core of a circular section is given as:
  - (A)  $d/\sqrt{2}$
- (B) d/.2
- (C) d/3
- (D) d/4
- 194. The path traced by a single particle of smoke issuing from a burning wooden stick is a:
  - (A) Flow line
- (B) Stream line
- (C) Streak line
- (D) Path line
- 195. What amongst the following is **not** related to a CI engine?
  - (A) Flywheel
- (B) Fuel pump
- (C) Fuel injector
- (D) Carburettor
- 196. The relation between the number of links (L) and number of pairs (P) is:
  - (A) L = 2P 3
- (B) L = 2P 2
- (C) L=2P-4
- (D) L = 3 2P

- 197. A current meter is a device for measuring:
  - (A) Viscosity
- (B) Velocity
- (C) Current
- (D) Pressure
- 198. Density of water is maximum at:
  - (A) 277° Kelvin
- (B) 0°C
- (C) 0° Kelvin
- (D) 100°C
- 199. An isothermal process is one in which:
  - (A) The pressure of the gas in the system is proportional to the volume of the gas.
  - (B) The internal energy of the system under consideration decreases during the change.
  - (C) The heat transfer of the system under consideration is zero.
  - (D) The temperature of the system under consideration remains constant during the change.
- 200. In I.C. engine, removing the burnt gases from combustion chamber of engine cylinder, is known
  - (A) polymerisation
- (B) scavengeing
- (C) supercharging
- (D) detonation

# A Premier Institute for SSC/Bank/ Government Jobs Preparation



# **HEAD OFFICE**

1st Floor, Plot no. 857, Main Road, In front of Punjab & Sindh Bank, Dr. Mukherjee Nagar, Delhi-110009

Ph: 7042496042, 7042496043

# **BRANCH OFFICES**

## **Greater Noida (U.P.)**

Shop No.6, 1st Floor, Jagat Plaza Extension, Jagat Farm, Sector Gamma-I,Greater Noida, U.P.-201310 Ph: 9643005732, 9643005736

#### Orai (UP)

Galaxy Classes, 24, Subhash Nagar, Near Allahabad Bank (Main Branch), Orai, U.P.-285001. Ph: 7235808597, 7235808598

#### Mukherjee Nagar (Delhi)

1st Floor, Plot No. A-12-13, Ansal Building, Commercial Complex, Chawla Restaurant Lane, Beside Dr. VidyaSagar Homoeopathic Clinic, Mukherjee Nagar, Delhi-110009.

- Website: www.galaxyclasses.co.inEmail id: info@galaxyclasses.co.in
- Facebook page: https://www.facebook.com/galaxy.ssc

You Tube: https://www.youtube.com/channel/UCE4Vye7kmAI0AhvC5FTdSug

# Jaipur (Rajasthan)

Galaxy Classes, Ground Floor, Apex Mall, Lalkothi, Jaipur Ph: 9119134530, 9119134532

# Ghaziabad (U.P.)

13 C/7, Vasundhara Market opposite Seth Jaipuria School, above ICICI Bank, Ghaziabad.

Contact us: