

## ARITHMETICAL ABILITY

1. Average of  $n$  numbers is  $a$ . The first number is increased by 2, second one is increased by 4, the third one is increased by 8 and so on. The average of the new numbers is

(1)  $a + \frac{2^{n-1} - 1}{n}$

(2)  $a + 2 \frac{2^n - 1}{n}$

(3)  $a + \frac{2^{n-1}}{n}$

(4)  $a + \frac{2^n - 1}{n}$

2. Let  $x = \frac{\sqrt{13} + \sqrt{11}}{\sqrt{13} - \sqrt{11}}$  and  $y = \frac{1}{x}$ , then the value of  $3x^2 - 5xy + 3y^2$  is

- (1) 1717 (2) 1177  
(3) 1771 (4) 1171


3. A sum of Rs. 7,930 is divided into three parts and given on loan at 5% simple interest to A, B and C for 2, 3 and 4 years respectively. If the amounts of all three are equal after their respective periods of loan, then A received a loan of

- (1) Rs. 3,050  
(2) Rs. 2,760  
(3) Rs. 2,750  
(4) Rs. 2,800

4. A number when divided by 361 gives a remainder 47. If the same number is divided by 19, the remainder obtained is

- (1) 3 (2) 8  
(3) 9 (4) 1

**Directions (5-9) :** The following graph shows production (in thousands) of two types (P and Q) of vehicles by a factory over the years 2009 to 2014. Study the graph and answer the given questions.



5. In how many of the given years, was the production of Type P vehicles of the company more than the average production of this type vehicles in the given years?

- (1) 3 (2) 4  
(3) 2 (4) 5

6. Approximate percentage decrease in production of Type Q vehicles from 2010 to 2011 is

- (1) 10.1 (2) 16.7  
(3) 14.3 (4) 12.5

7. The total production of Type P vehicles in the years 2009 and 2011 is what percent of total production of Type Q vehicles in 2010 and 2014?

- (1) 75 (2) 69.25  
(3) 80 (4) 81.25

8. The ratio of total production of Type P vehicles to total production of type Q vehicles over the years is

- (1) 48 : 41 (2) 5 : 8  
(3) 8 : 5 (4) 41 : 48

9. The production of Type Q vehicles in 2010 was approximately what percent of Type P vehicles in 2014?

- (1) 60 (2) 45.5  
(3) 54.5 (4) 75

10. A man starts from a place P and reaches the place Q in 7

hours. He travels  $\frac{1}{4}$  th of the

distance at 10 km/hour and the remaining distance at 12 km/hour. The distance between P and Q is

- (1) 72 km (2) 90 km  
(3) 80 km (4) 70 km

11. In triangle ABC,  $DE \parallel BC$  where D is a point on AB and E is a point on AC. DE divides the area of  $\Delta ABC$  into two equal parts. Then  $DB : AB$  is equal to



- (1)  $\sqrt{2} : (\sqrt{2} + 1)$   
 (2)  $\sqrt{2} : (\sqrt{2} - 1)$   
 (3)  $(\sqrt{2} - 1) : \sqrt{2}$   
 (4)  $(\sqrt{2} + 1) : \sqrt{2}$
12. Ram sold two horses at the same price. In one he gets a profit of 10% and in the other he gets a loss of 10%. Then Ram gets  
 (1) 2% loss  
 (2) No loss or profit  
 (3) 1% loss (4) 1% profit
13. If  $\tan \theta - \cot \theta = 0$  and  $\theta$  is positive acute angle, then the value of  $\frac{\tan(\theta + 15^\circ)}{\tan(\theta - 15^\circ)}$  is  
 (1) 3 (2)  $\frac{1}{\sqrt{3}}$   
 (3)  $\frac{1}{3}$  (4)  $\sqrt{3}$
14. In  $\Delta ABC$   $\angle BAC = 90^\circ$  and  $AD \perp BC$ . If  $BD = 3$  cm and  $CD = 4$  cm, then the length of  $AD$  is  
 (1) 3.5 cm (2) 5 cm  
 (3)  $2\sqrt{3}$  cm (4) 6 cm
15. A and B have their monthly incomes in the ratio 8 : 5, while their monthly expenditures are in the ratio 5 : 3. If they have saved Rs. 12,000 and Rs. 10,000 monthly respectively, then the difference in their monthly incomes is  
 (1) Rs. 52,000  
 (2) Rs. 42,000  
 (3) Rs. 44,000  
 (4) Rs. 46,000
16. Pipe A can fill an empty tank in 6 hours and pipe B in 8 hours. If both the pipes are opened and after 2 hours pipe A is closed, how much time B will take to fill the remaining tank?  
 (1)  $7\frac{1}{2}$  hours  
 (2)  $2\frac{2}{5}$  hours
- (3)  $2\frac{1}{3}$  hours  
 (4)  $3\frac{1}{3}$  hours
17. A right prism has a triangular base whose sides are 13 cm, 20 cm and 21 cm. If the altitude of the prism is 9 cm, then its volume is  
 (1)  $1314 \text{ cm}^3$  (2)  $1134 \text{ cm}^3$   
 (3)  $1413 \text{ cm}^3$  (4)  $1143 \text{ cm}^3$
18. If  $(3x - 2y) : (2x + 3y) = 5 : 6$ , then one of the values of  $\left(\frac{\sqrt[3]{x} + \sqrt[3]{y}}{\sqrt[3]{x} - \sqrt[3]{y}}\right)^2$  is  
 (1)  $\frac{1}{5}$  (2) 5  
 (3) 25 (4)  $\frac{1}{25}$
19. Articles are marked at a price which gives a profit of 25%. After allowing a certain discount the profit reduces to  $12\frac{1}{2}\%$ . The discount percent is  
 (1) 11.1% (2) 10%  
 (3)  $12\frac{1}{2}\%$  (4) 12%
20. The portion of a ditch 48 m long, 16.5 m wide and 4 m deep that can be filled with stones and earth available during excavation of a tunnel, cylindrical in shape, of diameter 4 m and length 56 m is  
 (Take  $\pi = \frac{22}{7}$ )  
 (1)  $\frac{1}{4}$  Part (2)  $\frac{1}{2}$  Part  
 (3)  $\frac{2}{9}$  Part (4)  $\frac{1}{9}$  Part
21. A telegraph post is bent at a point above the ground due to storm. Its top just touches the ground at a distance of  $10\sqrt{3}$  metre from its foot and makes an angle of  $30^\circ$  with the horizontal. Then height (in metres) of the telegraph post is  
 (1) 30 (2) 24  
 (3) 20 (4) 25
22. Three Science classes A, B and C take a Life Science test. The average score of class A is 83. The average score of class B is 76. The average score of class C is 85. The average score of class A and B is 79 and average score of class B and C is 81. Then the average score of classes A, B and C is  
 (1) 81.5 (2) 81  
 (3) 80.5 (4) 80
23. A sum of money placed at compound interest doubles itself in 5 years. It will amount to eight times of itself at the same rate of interest in  
 (1) 20 years (2) 10 years  
 (3) 12 years (4) 15 years
24. A and B can do a given piece of work in 8 days, B and C can do the same work in 12 days and A, B, C complete it in 6 days. Number of days required to finish the work by A and C is  
 (1) 16 (2) 8  
 (3) 12 (4) 24
25. A sum of money is paid back in two annual instalments of Rs. 17,640 each, allowing 5% compound interest compounded annually. The sum borrowed was  
 (1) Rs. 32,800  
 (2) Rs. 32,200  
 (3) Rs. 32,000  
 (4) Rs. 32,400
26. If 90 men can do a certain job in 16 days, working 12 hours per day, then the part of that work which can be completed by 70 men in 24 days, working 8 hours per day is  
 (1)  $\frac{1}{3}$  (2)  $\frac{2}{3}$   
 (3)  $\frac{7}{9}$  (4)  $\frac{5}{8}$
27. A man purchases some oranges at the rate of 3 for Rs. 40 and the same quantity at 5 for Rs. 60. If he sells all the oranges at the rate of 3 for Rs. 50, find his gain or loss percent (to the nearest integer).  
 (1) 32% profit  
 (2) 31% loss (3) 34% loss  
 (4) 31% profit

SPACE FOR ROUGH WORK



*Test yourself-Anytime, Anywhere*

# **Free Online Test Series**

**For**

**IBPS PO (Pre, Mains)  
IBPS Clerk (Pre, Mains)  
SSC CGL (Pre, Mains)**

## **Galaxy Online Test Series Features**

- ➔ *Replica of the Actual Exam Platform*
- ➔ *Detailed and Lucid Explanations*
- ➔ *Scientific Post Test Analysis*
- ➔ *More than 40 Free Online Tests*
- ➔ *State of the Art Lab Facilities*

FOR FURTHER DETAILS VISIT US:  
**[www.galaxyclasses.co.in](http://www.galaxyclasses.co.in)**



28. Let  $x$  be the smallest number, which when added to 2000 makes the resulting number divisible by 12, 16, 18 and 21. The sum of the digits of  $x$  is  
 (1) 7 (2) 5  
 (3) 6 (4) 4
29. The value of  $\cot 41^\circ \cdot \cot 42^\circ \cdot \cot 43^\circ \cdot \cot 44^\circ \cdot \cot 45^\circ \cdot \cot 46^\circ \cdot \cot 47^\circ \cdot \cot 48^\circ \cdot \cot 49^\circ$   
 (1) 1 (2) 0  
 (3)  $\frac{\sqrt{3}}{2}$  (4)  $\frac{1}{\sqrt{2}}$
30. If  $O$  is the circumcentre of a triangle  $ABC$  lying inside the triangle, then  $\angle OBC + \angle BAC$  is equal to  
 (1)  $90^\circ$  (2)  $60^\circ$   
 (3)  $110^\circ$  (4)  $120^\circ$
31. If  $x = a \sin \theta - b \cos \theta$ ,  
 $y = a \cos \theta + b \sin \theta$ , then which of the following is true?  
 (1)  $\frac{x^2}{y^2} + \frac{a^2}{b^2} = 1$   
 (2)  $x^2 + y^2 = a^2 - b^2$   
 (3)  $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$   
 (4)  $x^2 + y^2 = a^2 + b^2$
32. A man sells an article at 5% above its cost price. If he had bought it at 5% less than what he had paid for it and sold it at Rs. 2 less, he would have gained 10%. The cost price of the article is  
 (1) Rs. 200 (2) Rs. 400  
 (3) Rs. 300 (4) Rs. 100
33.  $P$  and  $Q$  together can do a job in 6 days.  $Q$  and  $R$  can finish the same job in  $\frac{60}{7}$  days.  $P$  started the work and worked for 3 days.  $Q$  and  $R$  continued for 6 days. Then the difference of days in which  $R$  and  $P$  can complete the job is  
 (1) 15 (2) 10  
 (3) 8 (4) 12
34. The H.C.F. and L.C.M. of two numbers are 21 and 84 respectively. If the ratio the two numbers is 1 : 4, then the larger of the two numbers is  
 (1) 12 (2) 108  
 (3) 48 (4) 84
35. If 60% of  $A = 30\%$  of  $B$ ,  $B = 40\%$  of  $C$ ,  $C = x\%$  of  $A$ , then value of  $x$  is  
 (1) 200 (2) 500  
 (3) 800 (4) 300
36. In an office, 40% of the staff is female. 70% of the female staff and 50% of the male staff are married. The percentage of the unmarried staff in the office is  
 (1) 64 (2) 60  
 (3) 54 (4) 42
37.  $ABCD$  is a cyclic quadrilateral.  $AB$  and  $DC$  when produced meet at  $P$ , if  $PA = 8$  cm,  $PB = 6$  cm,  $PC = 4$  cm, then the length (in cm) of  $PD$  is  
 (1) 8 cm (2) 6 cm  
 (3) 10 cm (4) 12 cm
38.  $A$  and  $B$  are centres of two circles of radii 11 cm and 6 cm, respectively.  $PQ$  is a direct common tangent to the circles. If  $\overline{AB} = 13$  cm, then length of  $PQ$  will be  
 (1) 8.5 cm (2) 13 cm  
 (3) 12 cm (4) 17 cm
39. The diameter of each wheel of a car is 70 cm. If each wheel rotates 400 times per minute, then the speed of the car (in km/hr) is (Take  $\pi = \frac{22}{7}$ )  
 (1) 0.528 (2) 528  
 (3) 52.8 (4) 5.28
40. Water tax is increased by 20% but its consumption is decreased by 20%. Then the increase or decrease in the expenditure of the money is  
 (1) 5% decrease  
 (2) 4% decrease  
 (3) No change  
 (4) 4% increase
41. If  $\sec \theta - \tan \theta = \frac{1}{\sqrt{3}}$ , the value of  $\sec \theta \cdot \tan \theta$  is  
 (1)  $\frac{2}{3}$  (2)  $\frac{2}{\sqrt{3}}$   
 (3)  $\frac{4}{\sqrt{3}}$  (4)  $\frac{1}{\sqrt{3}}$
42. A car covers four successive 7 km distances at speeds of 10 km/hour, 20 km/hour, 30 km/hour and 60 km/hour respectively. Its average speed over this distance is  
 (1) 30 km/hour  
 (2) 20 km/hour  
 (3) 60 km/hour  
 (4) 40 km/hour
43. If 64 buckets of water are removed from a cubical shaped water tank completely filled with water,  $\frac{1}{3}$  of the tank remains filled with water. The length of each side of the tank is 1.2 m. Assuming that all buckets are of the same measure, then the volume (in litres) of water contained by each bucket is  
 (1) 12 (2) 16  
 (3) 15 (4) 18
44. The centroid of a  $\Delta ABC$  is  $G$ . The area of  $\Delta ABC$  is  $60 \text{ cm}^2$ . The area of  $\Delta GBC$  is  
 (1)  $10 \text{ cm}^2$  (2)  $30 \text{ cm}^2$   
 (3)  $40 \text{ cm}^2$  (4)  $20 \text{ cm}^2$
45. The base of a right pyramid is a square of side 10 cm. If the height of the pyramid is 12 cm, then its total surface area is  
 (1)  $400 \text{ cm}^2$  (2)  $460 \text{ cm}^2$   
 (3)  $260 \text{ cm}^2$  (4)  $360 \text{ cm}^2$
46. 60 kg of an alloy A is mixed with 100 kg of alloy B. If alloy A has lead and tin in the ratio 3 : 2 and alloy B has tin and copper in the ratio 1 : 4, the amount of tin in the new alloy is  
 (1) 53 kg (2) 44 kg  
 (3) 80 kg (4) 24 kg
47. If  $5 \cos \theta + 12 \sin \theta = 13$ ,  $0^\circ < \theta < 90^\circ$ , then the value of  $\sin \theta$  is  
 (1)  $\frac{5}{13}$  (2)  $-\frac{12}{13}$   
 (3)  $\frac{6}{13}$  (4)  $\frac{12}{13}$
48. In trapezium  $ABCD$ ,  $AB \parallel CD$  and  $AB = 2CD$ . Its diagonals intersect at  $O$ . If the area of  $\Delta AOB = 84 \text{ cm}^2$ , then the area of  $\Delta COD$  is equal to  
 (1)  $72 \text{ cm}^2$  (2)  $21 \text{ cm}^2$   
 (3)  $42 \text{ cm}^2$  (4)  $26 \text{ cm}^2$



49. Quadrilateral ABCD is circumscribed about a circle. If the lengths of AB, BC and CD are 7 cm, 8.5 cm, and 9.2 cm respectively, then the length (in cm) of DA is  
 (1) 7.7 (2) 16.2  
 (3) 10.7 (4) 7.2
50. In a school there were 1554 students and the ratio of the number of the boys and girls was 4 : 3. After a few days, 30 girls joined the school but a few boys left; as a result the ratio of the boys and girls became 7 : 6. The number of boys who left the school is  
 (1) 76 (2) 74  
 (3) 84 (4) 86
51. Given that the ratio of altitudes of two triangles is 4 : 5, ratio of their areas is 3 : 2. The ratio of their corresponding bases is  
 (1) 8 : 15 (2) 15 : 8  
 (3) 5 : 8 (4) 8 : 5
52. If  $A : B = 2 : 3$  and  $B : C = 3 : 7$ , then  $A + B : B + C : C + A$  is  
 (1) 4 : 8 : 9  
 (2) 5 : 8 : 9  
 (3) 5 : 10 : 9  
 (4) 4 : 10 : 9
53. If  $a - \frac{1}{a-3} = 5$ , then the value of  $(a-3)^3 - \frac{1}{(a-3)^3}$  is  
 (1) 5 (2) 7  
 (3) 2 (4) 14
54. The value of  $\frac{(0.67 \times 0.67 \times 0.67) - (0.33 \times 0.33 \times 0.33)}{(0.67 \times 0.67) - (0.67 \times 0.33) - (0.33 \times 0.33)}$  is  
 (1) 11 (2) 1.1  
 (3) 3.4 (4) 0.34
55. The greatest number among  $3^{50}$ ,  $4^{40}$ ,  $5^{30}$  and  $6^{20}$  is  
 (1)  $3^{50}$  (2)  $4^{40}$   
 (3)  $5^{30}$  (4)  $6^{20}$
56. The interior angle of a regular polygon exceeds its exterior angle by  $108^\circ$ . The number of the sides of the polygon is  
 (1) 12 (2) 16  
 (3) 14 (4) 10
57. The area of an isosceles trapezium is  $176 \text{ cm}^2$  and the height is  $\frac{2}{11}$  th of the sum of its parallel sides. If the ratio of the length of the parallel sides is 4 : 7, then the length of a diagonal (in cm) is  
 (1) 28 (2)  $\sqrt{137}$   
 (3)  $2\sqrt{137}$  (4) 24
58. If  $\left(\frac{p^{-1}q^2}{p^3q^{-2}}\right)^{\frac{1}{3}} + \left(\frac{p^6q^{-3}}{p^{-2}q^3}\right)^{\frac{1}{3}} = p^a$ , then the value of  $a + b$ , where  $p$  and  $q$  are different positive primes, is  
 (1) -1 (2) 2  
 (3) 1 (4) 0
59. Three glasses of equal volume contains acid mixed with water. The ratios of acid and water are 2 : 3, 3 : 4 and 4 : 5 respectively. Contents of these glasses are poured in a large vessel. The ratio of acid and water in the large vessel is  
 (1) 411 : 540 (2) 401 : 544  
 (3) 417 : 564 (4) 407 : 560
60. There would be a 10% loss, if rice is sold at Rs. 54 per kg. To earn a profit of 20%, the price of rice per kg will be  
 (1) Rs. 65 (2) Rs. 70  
 (3) Rs. 63 (4) Rs. 72
61. The average of five consecutive positive integers is  $n$ . If the next two integers are also included, the average of all these integers will  
 (1) increase by 1.5  
 (2) increase by 1  
 (3) remain the same  
 (4) increase by 2
62. If a hemisphere is melted and four spheres of equal volume are made, the radius of each sphere will be equal to  
 (1)  $\frac{1}{4}$  th of the radius of the hemisphere  
 (2) radius of the hemisphere  
 (3)  $\frac{1}{2}$  of the radius of the hemisphere  
 (4)  $\frac{1}{6}$  th of the radius of the hemisphere
63. If a shopkeeper wants to give 20% discount on a toy, he has to sell it for Rs. 300. If he sells it at Rs. 405, then his gain percent is  
 (1) 5% (2) 4%  
 (3) 8% (4) 6%
64. The average age of 30 students of a class is 14 years 4 months. After admission of 5 new students in the class the average becomes 13 years 9 months. The youngest one of the five new students is 9 years 11 months old. The average age of the remaining 4 new students is  
 (1) 11 years 2 months  
 (2) 13 years 6 months  
 (3) 12 years 4 months  
 (4) 10 years 4 months
65. AD is perpendicular to the internal bisector of  $\angle ABC$  of  $\Delta ABC$ . DE is drawn through D and parallel to BC to meet AC at E. If the length of AC is 12 cm, then the length of AE (in cm.) is  
 (1) 3 (2) 8  
 (3) 4 (4) 6
66. The unit digit in the product  $(2467)^{153} \times (341)^{72}$  is  
 (1) 7 (2) 3  
 (3) 9 (4) 1
67. There is a wooden sphere of radius  $6\sqrt{3} \text{ cm}$ . The surface area of the largest possible cube cut out from the sphere will be  
 (1)  $864 \text{ cm}^2$  (2)  $464\sqrt{3} \text{ cm}^2$   
 (3)  $462 \text{ cm}^2$  (4)  $646\sqrt{3} \text{ cm}^2$
68. If  $a + b = 1$ , find the value of  $a^3 + b^3 - ab - (a^2 - b^2)^2$ .  
 (1) -1 (2) 1  
 (3) 0 (4) 2
69. If  $7\sin^2\theta + 3\cos^2\theta = 4$ , then the value of  $\tan \theta$  is ( $\theta$  is acute)  
 (1)  $\frac{1}{\sqrt{3}}$  (2)  $\frac{1}{\sqrt{2}}$   
 (3)  $\sqrt{3}$  (4) 1
70. A cylinder with base radius 8 cm and height 2 cm is melted to form a cone of height 6 cm. The radius of the cone will be



- (1) 6 cm (2) 8 cm  
 (3) 4 cm (4) 5 cm
71. The perimeter of a rhombus is 60 cm and one of its diagonal is 24 cm. The area of the rhombus is  
 (1) 108 sq. cm.  
 (2) 216 sq. cm.  
 (3) 432 sq. cm.  
 (4) 206 sq. cm.
72. If  $a + \frac{1}{b} = b + \frac{1}{c} = c + \frac{1}{a}$ , where  $a \neq b \neq c \neq 0$ , then the value of  $a^2 b^2 c^2$  is  
 (1) -1 (2)  $abc$   
 (3) 0 (4) 1
73. A, B and C can do a work separately in 16, 32 and 48 days respectively. They started the work together but B left off 8 days and C six days before the completion of the work. In what time is the work finished?  
 (1) 10 days (2) 9 days  
 (3) 12 days (4) 14 days
74. Two blends of a commodity costing Rs. 35 and Rs. 40 per kg. respectively are mixed in the ratio 2 : 3 by weight. If one-fifth of the mixture is sold at Rs. 46 per kg and the remaining at the rate of Rs. 55 per kg. the profit percent is  
 (1) 50 (2) 30  
 (3) 40 (4) 20
75. The value of  $(\operatorname{cosec} a - \sin a)(\sec a - \cos a)(\tan a + \cot a)$  is  
 (1) 1 (2) 6  
 (3) 2 (4) 4
76. If  $(x^3 - y^3) : (x^2 + xy + y^2) = 5 : 1$  and  $(x^2 - y^2) : (x - y) = 7 : 1$ , then the ratio  $2x : 3y$  equals  
 (1) 4 : 1 (2) 2 : 3  
 (3) 4 : 3 (4) 3 : 2
77. If a man walks at the rate of 5 km/hour, he misses a train by 7 minutes. However if he walks at the rate of 6 km/hour, he reaches the station 5 minutes before the arrival of the train. The distance covered by him to reach the station is  
 (1) 6 km (2) 7 km  
 (3) 6.25 km (4) 4 km
78. A plane divides a right circular cone into two parts of equal volume. If the plane is parallel to the base, then the ratio, in which the height of the cone is divided, is  
 (1)  $1 : \sqrt[3]{2}$  (2)  $1 : \sqrt{2}$   
 (3)  $1 : \sqrt[3]{2} + 1$  (4)  $1 : \sqrt[3]{2} - 1$
79. If  $x = a^{\frac{1}{2}} + a^{-\frac{1}{2}}$ ,  $y = a^{\frac{1}{2}} - a^{-\frac{1}{2}}$  then value of  $(x^4 - x^2 y^2 - 1) + (y^4 - x^2 y^2 + 1)$  is  
 (1) 16 (2) 13  
 (3) 12 (4) 14
80. A dealer fixed the price of an article 40% above the cost of production. While selling it he allows a discount of 20% and makes a profit of Rs. 48. The cost of production (in Rs.) of the article is  
 (1) 360 (2) 420  
 (3) 320 (4) 400
81. The simple interest on a sum of money is  $\frac{8}{25}$  of the sum. If the number of years is numerically half the rate percent per annum, then the rate percent per annum is  
 (1) 5 (2) 8  
 (3)  $6\frac{1}{4}$  (4) 4
82. If  $x^2 + y^2 + z^2 = xy + yz + zx$ , then the value of  $\frac{3x^4 + 7y^4 + 5z^4}{5x^2 y^2 + 7y^2 z^2 + 3z^2 x^2}$  is  
 (1) 2 (2) 1  
 (3) 0 (4) -1
83. If  $x - \sqrt{3} - \sqrt{2} = 0$  and  $y - \sqrt{3} + \sqrt{2} = 0$ , then the value of  $(x^3 - 20\sqrt{2}) - (y^3 + 20\sqrt{2})$  is  
 (1) 0 (2) 1  
 (3) 3 (4) 2
84. Two places P and Q are 162 km apart. A train leaves P for Q and simultaneously another train leaves Q for P. They meet at the end of 6 hours. If the former train travels 8 km/
- hour faster than the other, then speed of train from Q is  
 (1)  $12\frac{5}{6}$  km/hour  
 (2)  $10\frac{5}{6}$  km/hour  
 (3)  $9\frac{1}{2}$  km/hour  
 (4)  $8\frac{1}{2}$  km/hour
85. If  $3(a^2 + b^2 + c^2) = (a + b + c)^2$ , then the relation between a, b and c is  
 (1)  $a \neq b \neq c$  (2)  $a = b \neq c$   
 (3)  $a \neq b = c$  (4)  $a = b = c$
86. The radii of two solid iron spheres are 1 cm and 6 cm respectively. A hollow sphere is made by melting the two spheres. If the external radius of the hollow sphere is 9 cm, then its thickness (in cm) is  
 (1) 2 (2) 1.5  
 (3) 0.5 (4) 1
87. In an examination average marks obtained by the girls of a class is 85 and the average marks obtained by the boys of the same class is 87. If the girls and boys are in the ratio 4 : 5, average marks of the whole class (approximately) is closest to  
 (1) 85.9 (2) 86.1  
 (3) 86.4 (4) 86.5
88. If  $\sin A + \sin^2 A = 1$ , then the value of  $\cos^2 A + \cos^4 A$  is  
 (1) 2 (2)  $1\frac{2}{3}$   
 (3)  $1\frac{1}{2}$  (4) 1
89. The marked price of a tape recorder is Rs. 12, 600. A festival discount of 5% is allowed on it. Further for cash payment, a second discount of 2% is given. The cash payment, is to be made for buying it, is  
 (1) Rs. 11,703.60  
 (2) Rs. 11,730.60  
 (3) Rs. 11,370.60  
 (4) Rs. 11,073.60



90. Let  $x$  be the least number, which when divided by 5, 6, 7 and 8 leaves a remainder 3 in each case but when divided by 9 leaves no remainder. The sum of digits of  $x$  is  
 (1) 21 (2) 22  
 (3) 18 (4) 24
91. The value of  $4 - \frac{1}{1 + \frac{1}{3 + \frac{1}{2 + \frac{1}{4}}}}$  is  
 (1)  $\frac{1}{8}$  (2)  $\frac{1}{64}$   
 (3)  $\frac{1}{16}$  (4)  $\frac{1}{32}$
92. A manufacturer fixes his selling price at 33% over the cost of production. If cost of production goes up by 12% and manufacturer raises his selling price by 10%, his percentage profit is  
 (1)  $28\frac{3}{8}\%$  (2)  $30\frac{5}{8}\%$   
 (3)  $36\frac{5}{9}\%$  (4) 35%
93. There is a number consisting of two digits, the digit in the units' place is twice that in the tens' place and if 2 be subtracted from the sum of the digits, the difference is equal to  $\frac{1}{6}$ th of the number. The number is  
 (1) 26 (2) 25  
 (3) 24 (4) 23
94. AB and CD are two parallel chords of a circle of lengths 10 cm and 4 cm respectively. If the chords are on the same side of the centre and the distance between them is 3 cm, then the diameter of the circle is  
 (1)  $2\sqrt{21}$  cm. (2)  $\sqrt{21}$  cm.  
 (3)  $2\sqrt{29}$  cm. (4)  $\sqrt{29}$  cm.
95. The numerical values of the volume and the area of the lateral surface of a right circular cone are equal. If the height of the cone be  $h$  and radius be  $r$ , the value of  $\frac{1}{h^2} + \frac{1}{r^2}$  is  
 (1)  $\frac{1}{3}$  (2)  $\frac{1}{9}$   
 (3)  $\frac{9}{1}$  (4)  $\frac{3}{1}$
96.  $\frac{6^2 + 7^2 + 8^2 + 9^2 + 10^2}{\sqrt{7 + 4\sqrt{3}} - \sqrt{4 + 2\sqrt{3}}}$  is equal to  
 (1) 330 (2) 305  
 (3) 355 (4) 366
97. If  $\tan A = n \tan B$  and  $\sin A = m \sin B$ , then the value of  $\cos^2 A$  is  
 (1)  $\frac{m^2 - 1}{n^2 + 1}$  (2)  $\frac{m^2 + 1}{n^2 - 1}$   
 (3)  $\frac{m^2 + 1}{n^2 + 1}$  (4)  $\frac{m^2 - 1}{n^2 - 1}$
98. 300 grams of sugar solution has 40% of sugar in it. How much sugar should be added to make it 50% in the solution?  
 (1) 40 gram (2) 10 gram  
 (3) 60 gram (4) 80 gram
99. A and B can do a piece of work in 30 and 36 days respectively. They began the work together but A left after some days and B finished the remaining work in 25 days. After how many days did A leave?  
 (1) 10 days (2) 6 days  
 (3) 5 days (4) 11 days
100. A boat moves downstream at the rate of 1 km in  $7\frac{1}{2}$  minutes and upstream at the rate of 5 km an hour. What is the speed of the boat in the still water?  
 (1)  $3\frac{1}{2}$  km/hour  
 (2)  $6\frac{1}{2}$  km/hour  
 (3) 4 km/hour  
 (4) 8 km/hour



# A Premier Institute for SSC/Bank/ Government Jobs Preparation



## HEAD OFFICE

1st Floor, Plot no. 857, Main Road,  
In front of Punjab & Sindh Bank, Dr. Mukherjee Nagar, Delhi-110009

Ph: 7042496042, 7042496043

## BRANCH OFFICES

### Greater Noida (U.P.)

Shop No.6, 1st Floor, Jagat Plaza Extension,  
Jagat Farm, Sector Gamma-I, Greater Noida, U.P.-201310  
Ph: 9643005732, 9643005736

### Orai (UP)

Galaxy Classes, 24, Subhash Nagar,  
Near Allahabad Bank (Main Branch), Orai, U.P.-285001.  
Ph: 7235808597, 7235808598

### Jaipur (Rajasthan)

Galaxy Classes, Ground Floor, Apex Mall,  
Lalkothi, Jaipur  
Ph: 9119134530, 9119134532

### Mukherjee Nagar (Delhi)

1st Floor, Plot No. A-12-13, Ansal Building,  
Commercial Complex, Chawla Restaurant Lane,  
Beside Dr. VidyaSagar Homoeopathic Clinic,  
Mukherjee Nagar, Delhi-110009.

### Ghaziabad (U.P.)

13 C/7, Vasundhara Market opposite  
Seth Jaipuria School, above ICICI Bank,  
Ghaziabad.

Contact us:

- Website : [www.galaxyclasses.co.in](http://www.galaxyclasses.co.in)
- Email id : [info@galaxyclasses.co.in](mailto:info@galaxyclasses.co.in)
- Facebook page : <https://www.facebook.com/galaxy.ssc>
- You Tube : <https://www.youtube.com/channel/UCE4Vye7kmAI0AhvC5FTdSug>